

Table List Price & Specification Guide

version 19.01

Please Note:

All Commercial-Grade Furniture is Shown with List Pricing

To receive your standard or volume discount, please contact us at info@baltix.com or call us at (952) 698-1220



About Baltix

For more than 20 years, Baltix Sustainable Furniture has been proudly manufacturing durable American Made commercial furniture right here in the heart of Minnesota. Our unwavering commitment to sourcing only the most sustainable and durable raw or finished materials utilized in the fabrication of our products has helped us become a trusted partner to some of the largest companies in the world. This commitment to unparalleled sourcing, engineering, and craftsmanship lends itself to our high-quality finished products that will stand the test of time in all commercial environments. As a socially and environmentally conscious manufacturer, it is our duty to leave as little of a footprint as possible. To help reduce this footprint, we have made a commitment to plant one tree for every product that is ordered and manufactured. We call this our Buy One. Grow One[™] promise. To learn more about how your purchase makes a difference, please turn the page!

Radically Transparent

At Baltix, we believe that transparency builds trust, and we would not have it any other way. Over the years, there has been a significant amount of "green washing" regarding what is truly green, sustainable or not. We are straightforward and honest with our customers by openly sharing technical information about our products and the raw materials that they are made from. If you have questions, we have answers. **We don't hide behind our tables, we meet at them.**

Customer Centric

Our customers are an integral part of what we do. Without them, we simply would not exist. From first call to final installation and everything in between, our team is committed to providing superior customer service while sharing our vast industry knowledge to guide the specification and ordering process. By choosing Baltix as your furniture partner you can trust that we will manufacture our products to your exacting specification and deliver on-time, every time.

SMaRT[®] Certified

In 2015, Baltix became the first commercial furniture manufacturer to achieve the Platinum Sustainable Procurement Certification for healthy products. Through our forward-thinking supplier network, we were able to exceed the stringent sustainability certification prerequisites set forth by The Institute for Market Transformation to Sustainability.

American Sourced | American Made

We are proud that our products are manufactured here in Minnesota. By strategically partnering with our U.S. based raw and finished material supplier network, we can produce our products with precision quality, shorter lead times, and unbeatable value, while also contributing to the creation of American jobs.

ade in the USA







ashe member

ONE**TREE**PLANTED

At Baltix, we are a company set on the foundation of environmental preservation. We are here not only

to help your purchases make a difference, but to also help reduce the footprint that our company and

our products leave behind. Baltix is proud to have partnered with OneTreePlanted.org, a 501(c)(3) non-

profit that helps restore our forests by replanting trees in deforested areas across the world. In creating

we call this our Buy One. Grow One[™] promise. For every product ordered and manufactured, we have

our Baltix One Tree Planted partnership, we are taking our environmental leadership one step further;

committed to planting one tree in an effort to improve the global environment we share and live in.

Contents

04 Sustainable Surface Materials

(F2) Wilsonart® Standard Laminate with M 06

.....

- 07 (F4) Wilsonart® Standard Laminate on B
- (F6) Forbo[®] Linoleum with BioEdge™ Ed 08
- (F7) Forbo[®] Linoleum on Birch Multiply 09
- (F8) Powder Coated MDF 10
- (F16) Nuxite® 11 12
- (F17) Solid Hardwood (Butcher Block) (F18) Cambria® Quartz
- 13 14
- (F19) Corian® Quartz 15
- (F20) Caesarstone® Quartz 16 (F21) Consentino® Silestone® Quartz
- 17 (F22) Consentino® DEKTON® Ultracomp
- (F23) Corian® Solid Surface 18
- 19 (F24) Livingstone® Solid Surface

20.....Sustainable Base Materials & Finishes

- Steel Bases 22
- Cast Iron Bases 23
- 23 Stainless Steel Bases

24 Hospitality & Multi-use Tables

26..... Hospitality & Multi-use Base Styles

- 28 Mode Base Tables (BM)
- 30 Taper Base Tables (BE)
- 32 Zone Base Tables (BZ)
- 34 Toob Base Tables (BT)
- 36 Double Column Flip-Top Toob Base Tab
- 38 Wedge Base Tables (BW)
- 40 Ingot Base Tables (BI)
- 42 Arch Base Tables (BA) 44 Double Column Flip-Top Arch Base Tables (BAF)
- 46 Swoop Base Tables (BS)
- 48 Bold Base Tables (BB)
- 50 Slim Round Base Tables (BSD)
- 52 Slim Square Base Tables (BSS)
- 54 Slim Squircle Base Tables (BSQ)
- Stainless Steel Square Base Tables (BST) 56
- Floor Mounted Base Tables (BFM) 58 Heavy Round Base Tables (BHR) 60
- 62 Trumpet Base Tables (BR)
- Picture Frame Base Tables (BPF) 64
- Angled Base Tables (BAC) 66
- 68 Ornate Base Tables (BO)
- 69 Cantilevered Base Tables (BC)

70 Collaboration Tables

72..... Collaboration Base Styles

- 73 A-Frame Base Tables (BAFC)
- Picture Frame Base Tables (BPFC) 74
- 75 Parsons Base Tables (BPRC)
- 76 H-Frame Base Tables (BHC)

78.....Occasional Tables

80..... Occasional Base Styles

81	Cubic Base Tables (BCU)	

- 82 C-Base Tables (BCE)
- Laptop Base Tables (BLT) 83
- 84 Picture Frame Base Tables (BPFCO)

abnormally green

	86 Conference Tables				
latching Edgeband Birch Multiply dgeband	 88 Conference Table Base Styles 89 Toob Base Tables (BTT) 90 Ingot Base Tables (BII) 91 Arch Base Tables (BAA) 92 XL Angled Base Tables (BAX) 93 Drum Base Tables (BDR) 94 Mono Base Tables (BF) 				
	96Greenlites [™] Lightweight Tables				
oact Surface	100Adjustable Height Tables				
	104Lecterns				
	108Filing & Storage Units				
	112Optional Power/Data Unit Add-ons				
	114Optional Wire Management Add-ons				
	116Table Top Only (TT)				
	118Terms & Conditions of Sale				
bles (BTF)	119Warranty, Limitations, & Disclaimers				

Sustainable Surface Materials



(F2) Wilsonart[®] Standard Laminate with Matching Edgeband


Wilsonart[®] laminate surfaces offer designers a range of options from dramatic and playful to natural and subdued designs. The majority of Wilsonart[®] laminate finishes feature AEON™ Enhanced Performance Technology. AEON™ Technology outperforms traditional laminates on wear resistance, as well as scratch/scuff/mar resistance by up to 5 times. Wilsonart® laminate is 70% paper, making it the most environmentally friendly laminate option on the market. With continuous product and process improvement, Wilsonart® laminate has a minimal impact on the environment. At Baltix we use a non-VOC adhesive to adhere Wilsonart[®] laminate surfaces to a 100% recycled, CARB Il compliant particle board substrate finished with a 3mm matching Wilsonart[®] edgeband for a seamless look and finish.

Wilsonart Laminate Design Sampling



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.

Edge Profile



Corner radius: 3/32

(F4) Wilsonart[®] Standard Laminate on Birch Multiply

Wilsonart[®] laminate surfaces offer designers a range of options from dramatic and playful to natural and subdued designs. The majority of Wilsonart[®] laminate finishes feature AEON™ Enhanced Performance Technology. AEON™ Technology outperforms traditional laminates on wear resistance, as well as scratch/scuff/mar resistance by up to 5 times. Wilsonart[®] laminate is 70% paper, making it the most environmentally friendly laminate option on the market. With continuous product and process improvement, Wilsonart[®] laminate has a minimal impact on the environment. At Baltix we use a non-VOC adhesive to adhere Wilsonart[®] laminate surfaces to a CARB II compliant birch multiply substrate. The exposed edges of the birch multiply substrate are then finished with a non-VOC clearcoat to provide protection from moisture and heavy commercial use.

Wilsonart Laminate Design Sampling



Edge Profile Options






Corner radius: 3/4"

Corner radius: 1/8'

SUSTAINABLE SURFACE MATERIALS



Please Note; Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.

(F6) Forbo[®] Linoleum with BioEdge[™] Edgeband

Forbo[®] Marmoleum[™] (linoleum) is a versatile classic with a contemporary edge. Ranging from subtle marbled designs to modern concrete and intriguing striated patterns, Forbo[®] Marmoleum[™] offers a design to suit every taste or application. Finished with Topshield 2[™], Forbo[®] Marmoleum[™] can stand the test of time in all commercial applications. Naturally beautiful, durable, sustainable and healthy! Marmoleum™ is a 100% USDA Certified Biobased Product. Marmoleum™ is made from 97% natural raw materials, 70% of which are rapidly renewable, along with 43% recycled content. The key raw materials include linseed oil, wood flour, jute, and pine rosin. At Baltix we use a non-VOC adhesive to adhere Forbo® Marmoleum[™] to a CARB II compliant 100% recycled particle board substrate. The edges are finished with a non-PVC BioEdge[™] edgeband, a bio-plastic material made from corn biopolymer.



(F7) Forbo[®] Linoleum on Birch Multiply

Forbo[®] Marmoleum[™] (linoleum) is a versatile classic with a contemporary edge. Ranging from subtle marbled designs to modern concrete and intriguing striated patterns, Forbo[®] Marmoleum[™] offers a design to suit every taste or application. Finished with Topshield 2[™], Forbo[®] Marmoleum[™] can stand the test of time in all commercial applications. Naturally beautiful, durable, sustainable and healthy! Marmoleum™ is a 100% USDA Certified Biobased Product. Marmoleum™ is made from 97% natural raw materials, 70% of which are rapidly renewable, along with 43% recycled content. The key raw materials include linseed oil, wood flour, jute, and pine rosin. Baltix uses a non-VOC adhesive to adhere Forbo® Marmoleum™ to a CARB II compliant birch multiply substrate. The exposed edges of the birch multiply substrate are then finished with a non-VOC clearcoat to provide protection from moisture and heavy commercial use.

Forbo Linoleum Design Sampling



Forbo Linoleum Design Sampling



Please Note: Hundreds of additional linoleum colors and designs are available.

Edge Profile & BioEdge[™] Edgeband Color Selection



Edge Profile Options






Corner radius: 3/4"

Corner radius: 1/8'

SUSTAINABLE SURFACE MATERIALS



Please Note: Hundreds of additional linoleum colors and designs are available.

www.baltix.com

(F8) Powder Coated MDF

Wood (MDF) powder coating is one of the strongest finishes available, making it perfect for a wide variety of tabling applications. Using a revolutionary technology, the crosslink color polymers are thermally fused to a CARB II compliant MDF substrate. Unlike edgebanded tables, powder coated wood offers seamless edges that will not accumulate harmful bacteria and dirt. The powder coating process and finish is environmentally friendly, with no HAP's, VOC's, PVC's, or hazardous wastes. The overspray from powder coating is also reused, not wasted. This unique process results in an exceptionally strong bond for a smooth finish that is moisture and stain resistant and durable for a long useful life.





.....

Nuxite[®] is a biocomposite surface material unmatched in its combination of beauty, warmth, and durability. It is a naturally stainresistan and renewable material unlike any other. This biocomposite material is made from crushed walnut shells suspended in a zero VOC resin binder. This resin binder does not off-gas any harmful chemical byproducts before, during, or after the creation of each surface. In addition, this premium resin allows us to make a table surface that is stronger, more durable, and more environmentally friendly than composites made with polyester resin. The walnut shells are sustainably grown and are a renewable byproduct of the annual walnut food crop harvest.

Powder Coat Color Sampling




Nuxite Close-up



Please Note: Custom colors are available; minimum quantity and set-up fees will apply.

Edge Profile Options





Corner radius: 3/4"

Corner radius: 1 1/4"

Edge Profile



Corner radius: 3/4"


SUSTAINABLE SURFACE MATERIALS



(F17) Solid Hardwood (Butcher Block)

Our solid hardwood butcher block surfaces are created with superior high quality craftsmanship and constructed with kilndried, uniform-width staves face-glued in a continuous pattern. We offer a number of beautiful hardwood species including maple, oak, ash, beech and walnut. Each hardwood surface is finished with food-safe and moisture-resistant clearcoat finish. With no additional upcharge, we also offer walnut stain finish for maple, oak, ash, and beech species. Following multiple years of use, this hardwood material can be sanded and refinished for extended life of the table surface.

Hardwood Species Selection




Edge Profile Options



(F18) Cambria[®] Quartz


Cambria[®] quartz is 93% pure, natural guartz, one of the hardest and most abundant minerals on Earth. Created with American-made quality, Cambria offers easycare convenience, 100% non-absorbency, and incredible durability for even the busiest commercial settings. Cambria's commitment to the environment includes the recycling of all metal tooling, as well as 100% of the water used in polishing. Cambria® is a member of the Health Product Declaration Collaborative (HPDC), Living Building Challenge Compliant, and is a participating member in the Declare program. In addition, Cambria has been certified by Mindful Materials. Each table surface includes a 3/4" plywood insert for easy base attachment.


Cambria Design Sampling



SW Swanbridge™

BE Bellingham™





CH Chatham™

SH Sharpham™

Please Note: Hundreds of additional Cambria designs are available. Luxury style and matte finish available; contract Baltix for pricing. Standard thickness is 3cm (1-3/16"); contact Baltix for pricing on 2cm and 4cm thicknesses. Tables include a predrilled 3/4" plywood insert for easy base attachment.

Edge Profile Options





Corner radius: 3/4"


Corner radius: 3/4"







WL Whitehall™





WY Whitney™



CB Cherrybrook™



BB Bala Blue™



HA Hadley™



FA Fairbourne™



Corner radius: 3/4"



Corner radius: 1

(F19) Corian[®] Quartz

Corian[®] quartz (formerly Zodiag[®] Quartz) is engineered with pure quartz crystals making it an extremely durable table surface that can withstand the daily wear and tear of commercial environments. This added durability minimizes the short and long-term maintenance regimens that other surface materials require. In addition, Corian® quartz contributes to sustainable design. Corian[®] quartz and its adhesives and sealants meet or exceed emissions guidelines for volatile organic compounds (VOC's), and are nontoxic and nonallergenic for humans. Each table surface includes a ¾" plywood insert for easy base attachment.

(F20) Caesarstone[®] Quartz

Caesarstone[®] quartz surfaces combine beauty with outstanding performance, enabling you to bring your design imagination to life. Caesarstone® surfaces meet exacting standards of excellence from initial procurement of raw materials to the final quality control check. Caesarstone® quartz is blended at a ratio of up to 93% natural guartz aggregates with pigments and polymer resins. Caesarstone® quartz meets the exacting American GREENGUARD Standards and is a member of the Healthy Product Declaration (HPD) for material transparency. Each table surface includes a 3/4" plywood insert for easy base attachment.


Corain Quartz Design Sampling

CN Calacatta Natura	TA Toasted Almond	BQ Black Quasar	IR Indus Red	BC Blue Carrara	CB Coarse Botticino			
PO Mystic Black	CC Concrete Carrara	LP Lunar Pearl	QS Quarry Stone	SF Snow Flurry	WR Wild Rice			
Please Note: 56+ design options available. Tables include a predrilled ³ / ₄ " plywood insert for easy base attachment. Due to the yielding of this material, Corian Quartz tables are quote only. Please contact Baltix for pricing.								

Edge Profile Options









Corner radius: 3/4"

Corner radius: 3/4"

Corner radius: 3/4"

Corner radius: 1"

.

3100 Jet Black™ 5000 London Grey™

Caesarstone Design Sampling

4011 Cloudburst

Concrete™

5003 Piatra Grey™

2003 Concrete™

Please Note: 50+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Caesarstone Quartz tables are quote only. Please contact Baltix for pricing.

Edge Profile Options





Corner radius: 3/4"

6684 Caldera™

Corner radius: 3/4"

info@baltix.com













5111 Statuario Nuvo™ 5143 White Attica™



6011 Intense White™



4330 Ginger™



Corner radius: 3/4"




Corner radius: 1"

(F21) Consentino[®] Silestone[®] Quartz

Silestone[®] natural guartz is a surface material with outstanding properties created for almost any commercial application. Silestone® is lowmaintenance and has a low absorption rate. Silestone's nearly indestructible surface is stain, scorch, and scratch-resistant. In addition to its durability, this material is offered in wide variety of beautiful color options that are sure to catch your eye. Silestone[®] is internationally certified to ensure maximum safety and protection. Each table surface includes a 3/4" plywood insert for easy base attachment.

Consentino Silestone Design Sampling



Edge Profile Options









Corner radius: 3/4"

Corner radius: 3/4"


Corner radius: 3/4"

Corner radius: 1"

(F22) Consentino[®] DEKTON[®] Ultracompact Surface

DEKTON® Ultracompact Surface is a sophisticated blend of the raw materials used to produce the very latest in glass and porcelain as well as the highest quality guartz surfaces. DEKTON® employs exclusive Sinterized Particle Technology, a high-tech process which represents an accelerated version of the metamorphic change that natural stone undergoes when subjected to high temperatures and pressure over thousands of years. DEKTON® offers zero porosity and a lack of micro-defects that cause tension and weak spots. This cutting-edge material offers superior scratch resistance, stain resistance, and resistance to temperature variation. In addition, DEKTON[®] is highly resistant to ultra violet (UV) light allowing this material to be utilized for indoor and outdoor applications. DEKTON® is GREENGAURD certified GOLD and has obtained the Environmental Product Declaration (EPD). Each table surface includes a 3/4" plywood insert for easy base attachment.

Consentino Dekton Design Sampling



Edge Profile Options





Corner radius: 3/4"

Corner radius: 3/4"

info@baltix.com

SUSTAINABLE SURFACE MATERIALS





FL Fossil™



VA Valterra™



KA Kairos™



VE Vegha™



Corner radius: 3/4"




Corner radius: 1

(F23) Corian[®] Solid Surface


Corian[®] solid surface is a solid nonporous homogenous surface material, composed of 1/3 acrylic resin and 2/3 natural minerals. Corian® solid surface offers designers versatility, functionality and durability across many commercial applications. It has low moisture absorption, and is resistant to environmental pollutants, humidity, and freeze-thaw conditions. With these unique material characteristics, Corian[®] solid surface can be utilized for indoor and outdoor applications. Corian[®] solid surfaces and cured Corian[®] adhesives and sealants are GREENGUARD Indoor Air Quality Certified® for low VOC content emissions. In addition, Corian® solid surface is nontoxic and non-allergenic to humans. Each table surface includes a 3/4" plywood insert for easy base attachment.

Corian Solid Surface Design Sampling



Please Note: 110+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Corian Solid Surface tables are quote only. Please contact Baltix for pricing.


Edge Profile Options



(F24) Livingstone[®] Solid Surface

LivingStone® 100% acrylic solid surface is a nonporous, homogenous material comprised of acrylic polymers and natural minerals yielding a throughbody color, not laminated, coated, or of composite construction. In its finished form, LivingStone® solid surface is nontoxic, and non-allergenic to humans and can be utilized for indoor and outdoor use. LivingStone[®] solid surface is easy to clean and maintain allowing for years of legendary performance. LivingStone® is sure to have a color or design to meet your requirements. Each table surface includes a 3/4" plywood insert for easy base attachment.


Livingstone Design Sampling




L304 Arroyo™

.....

L300 Desert™





L325 Polaris™


L716 Rock Salt™

L704 Dakota™



Please Note: 92+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Livingstone solid surface tables are quote only. Please contact Baltix for pricing.

Edge Profile Options



SUSTAINABLE SURFACE MATERIALS







L308 Tundra™



L713 Shoreline™








L403 Volcanic Ash™



L212 Monsoon™




L111 Wild Pearl™



Corner radius: 3/4"






Corner radius: 1"

952,698,1220



Sustainable Base Materials & Finishes



Steel Bases



.

Baltix offers a comprehensive collection of steel base styles that can fit in any commercial environment. These bases are built using 14 gauge steel and the mounting plates are made of 7 gauge steel with welded reinforcement. All welded joints are ground smooth for commercial applications. These bases come in 19 standard VOC-free powder coat color options. Baltix offers

bases at custom heights per your specification. We also offer a wide variety of base add-on options: locking casters, flip-top mechanism (nesting), folding, adjustable height, wire management and more. All steel bases are commercial-grade and support BIFMA standards. The steel utilized to manufacture these bases includes 30+% recycled content.

Powder Coat Color Selection





BS brushed steel

Cast Iron Bases

Our cast iron bases are made from 100% recycled grey iron (used or scrap) material. These bases will not bend or flex and are dent- and impact-resistant. The cast iron bases are finished with a non VOC black wrinkle powder coat that will stand up to cleaning products, shoe marks, and also deters rust. These commercial-grade bases are engineered with added wall thickness and support ridges on the underside to provide added strength.

Material Color



BW black wrinkle

Stainless Steel Bases

Classic design meets beautiful finish with our stainless steel square base. This table base is made from 304 grade stainless steel and is offered at standard or bar height (optional footring available). 304 grade stainless steel offers impressive strength as well as incredible corrosion resistance.

Material Color




SS Stainless Steel

SUSTAINABLE BASE MATERIALS & FINISHES





Hospitality & Multi-use Tables



Hospitality & Multi-use Base Styles





Mode Base (BM) p.28

Taper Base (BE) p.30

Zone Base (BZ) p.32



Toob Base (BT) p.34



Slim Square Base (BSS) p.52






Double Column Flip-Top

p.36

Toob Base (BTF)

Wedge Base (BW) p.38



Arch Base (BA)

p.42

Heavy Round Base (BHR) p.60

Trumpet Base (BR) p.62



Double Column Flip-Top Arch Base (BAF) p.44



Swoop Base (BS) p.46

Bold Base (BB) p.48



Slim Round Base (BSD) p.50





Ornate Base (BO) p.68



Stainless Steel Square Base (BST) p.56




Floor Mounted Base (BFM) p.58



Picture Frame Base (BPF) p.64



Angled Base (BAC) p.66



d "X"	base	Add	\$35	list per	table
d "T"	base	Add	\$70	list per	table


Bar Height "X" Base with Foot Ring BAR-FR

.. Add \$150 list per table

	HOSPITALITY & MULTI-USE TABLE
Taper Base Tables	Upgrades and Add-ons
Image: state	Bar Height BAR 40.75" h base to replace standard "X" baseAdd \$75 list per table 40.75" h base to replace standard "T" baseAdd \$150 list per table
Part # Assessment	
size material edge base color Color profile (this cast iron base only (if applicable) offered in Black Wrinkle	
ST - 2400 - F2 (D427/W) - E2 - BE (BW) (BAR)	
product type (ST=Standard Table see p. 116 for ordering table tops alone) p.06-19 for options) (if applicable) base style base (upgrade (upgrade dase code of BAR may be added here)	
List Pricing	
Size 1396 12 Magand 1	
24" Ø (2400) \$433 \$489 \$448 \$523 \$474 \$1,397 \$635 \$1,209 call for quote 30" Ø (3000) \$582 \$646 \$624 \$691 \$582 \$1,902 \$875 \$1,820 call for quote 36" Ø (3600) \$921 \$1,093 \$879 \$1,119 \$797 \$2,541 \$1,187 \$2,514 call for quote 42" Ø (4200) \$977 \$1,187 \$1,011 \$1,382 \$891 \$3,774 \$1,446 \$3,336 call for quote	
48" Ø (4800) \$1,037 \$1,299 \$1,206 \$1,539 \$4,791 \$1,817 \$4,251 call for quote 60" Ø (6000) \$1,781 \$2,129 \$1,942 \$2,268 N/A N/A \$2,921 \$6,689 call for quote 24"x24" (2424) \$433 \$489 \$444 \$523 \$474 \$1,397 \$635 \$1,209 call for quote	
30"x30" (3030) \$579 \$646 \$616 \$691 \$582 \$1,902 \$875 \$1,820 call for quote 36"x36" (3636) \$917 \$1,093 \$872 \$1,119 \$797 \$2,541 \$1,187 \$2,514 call for quote 42"x42" (4242) \$969 \$1,187 \$1,097 \$1,382 \$891 \$3,774 \$1,446 \$3,336 call for quote 48"x48" (4848) \$1,029 \$1,299 \$1,194 \$1,539 \$947 \$4,791 \$1,817 \$4,251 call for quote	
24"x30" (2430) \$515 \$590 \$530 \$631 \$564 \$1,775 \$762 \$1,482 call for quote 30"x36" (3036) \$744 \$845 \$755 \$898 \$737 \$2,180 \$1,007 \$2,150 call for quote	
30"x48" (3048) \$943 \$1,093 \$973 \$1,168 \$943 \$2,848 \$1,430 \$3,181 call for quote 30"x60" (3060) \$1,130 \$1,216 \$1,175 \$1,284 \$1,018 \$3,399 \$1,655 \$3,830 call for quote 30"x72" (3072) \$1,171 \$1,214 \$1,914 \$1,205 \$3,954 \$1,880 \$4,479 call for quote	**For power & data options and wire management, see pages 112-115
30	info@baltix.com www.baltix.com 952.698.1220

HOSPITALITY & MULTI-USE TABLES

d "X" base	eAda	d \$75	list	per	table
d "T" base	eAdd	\$150	list	per	table




HOSPITALITY & MULTI-USE TABLES

41.5" h disk base to replace standard disk base.....Add \$35 list per table

Bar Height Disk Base with Foot Ring BAR-FR

41.5"h disk base with 19" diameter foot ring to replace standard disk base.....Add \$150 list per table



Upgrades and Add-ons



Dual wheel locking casters, black

2" Soft Rubber Locking Casters +LCS More non-slip than our standard 2³ Dual wheel locking casters, black



2" Premium Locking Casters +PLC

Custom Height CH

To replace standard "X" base

Ratchet Height Adjustability for Toob "T" Base RH

click incrementally until it reaches the top, then it will lower back down. Base height (with standard levelers): 23" to 32.5" (9.5" range)

Asymmetrical (Offset) Base A

To replace standard centered "T" base Add \$35 list per table

Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters. To replace standard "T" baseAdd \$310 list per table

Flip-Top Mechanism for "X" Base **FFX**

Includes locking casters. To replace standard "X" base (max. table top 36"x36").....Add \$150 list per table

Folding Mechanism for Stacking "T" Base FT

To replace standard "T" base

Note: 48" L table requires short-fo mechanism to allow legs to overla

**For power & data options and wire management, see pages 112-115.

2" Standard Plastic Locking Casters +LC

(4	per tab	ole)	 	 Add	\$60 lis	t per	table
(1	portac	//0/	 	 	φ00 110	r poi	labio

2" locking caster, allowing tables to stay put on	polish	ied floo	rs.
(4 per table)Add	1\$80	list per	table


Premium silver casters are available on tables with Toob and Ingot bases only. Dual wheel locking casters, black and silver (4 per table)Add \$80 list per table

......Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)

Available on our Toob T base only. Simply grab the edge of the table top and lift to raise. Ratchet will

To replace standard Toob "T" baseAdd \$330 list per table


	Add \$240 list per table
bld	
ap and lay flat	Add additional \$120 list per table



.

2" locking caster	, allowing tables	to stay put on p	olished floo	rs.
(4 per table)		Add	\$80 list per	table

Dual wheel locking casters, black and silver (4 per table)Add \$80 list per table



.....Add \$100 list per table

.....Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)

.....Add \$35 list per table

Flip-Top Mechanism for Nested Storage "T" Base FFT


Easy trigger mechanism can be operated from either end of the table! Includes locking casters.

To replace standard "T" baseAdd \$310 list per table

To replace standard "X" base (max. table top 36").....Add \$150 list per table

Folding Mechanism for Stacking "T" Base FT

Add \$240 list per table	
bld	
p and lay flatAdd additional \$120 list per table	




Upgrades and Add-ons



2" Standard Plastic Locking Casters +LC

2" Soft Rubber Locking Casters +LCS More non-slip than our standard 2 Dual wheel locking casters, black



Custom Height CH

To replace standard "X" base

Asymmetrical (Offset) Base A

To replace standard centered "T" base.....Add \$35 list per table



Easy trigger mechanism can be op

To replace standard "T" base

Flip-Top Mechanism for "X" Base **FFX**

Includes locking casters. To replace standard "X" base (max. table top 36").....Add \$150 list per table

Folding Mechanism for Stacking "T" Base FT

To replace standard "T" base

Note: 48" L table requires short-fo mechanism to allow legs to overla

Dual wheel locking casters, black (4 per table).....Add \$60 list per table

2" locking caster,	allowing tables	to stay put on p	oolished floor	s.
(4 per table)		Add	\$80 list per t	able

2" Premium Locking Casters +PLC


ole on tables with Toob and Ingot bases only.	
and silver (4 per table)Add \$80 list per table	

...Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)

Flip-Top Mechanism for Nested Storage "T" Base FFT

perated	from	either	end	of t	he ta	ble!	Includes	locking) cas	ters.	
							Add	\$310	list p	er tal	ole

	Add \$240 list per table
bld	
ap and lay flat	Add additional \$120 list per table



.....Add \$60 list per table

2" locking caster, allowing tables to stay put on polished floors.	
(4 per table)Add \$80 list per table	Э

le on tables with Toob and Ingot bases only.
and silver (4 per table)Add \$80 list per table

...Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)


Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters.

To replace standard "X" base (max. table top 36"x36").....Add \$150 list per table

Folding Mechanism for Stacking "T" Base FT


	Add \$240 list per table
old	
ap and lay flat	Add additional \$120 list per table



.

2" locking caster	, allowing tables	to stay put on p	olished floo	rs.
(4 per table)		Add	\$80 list per	table

Premium silver casters are available on tables with Toob and Ingot bases only. Dual wheel locking casters, black and silver (4 per table)Add \$80 list per table



Dual wheel locking casters, black (4 per table).....Add \$60 list per table

2" locking caster, allowing tables to stay put on polished floors.	
(4 per table)Add \$80 list per tabl	е

Premium silver casters are available on tables with Toob and Ingot bases only. Dual wheel locking casters, black and silver (4 per table)Add \$80 list per table

.....Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)


To replace standard centered "T" base.....Add \$35 list per table

Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters.

To replace standard "T" baseAdd \$310 list per table

To replace standard "X" base (max. table top 36").....Add \$150 list per table



Dual wheel locking casters, black (4 per table).....Add \$60 list per table

2" locking caster, allowing	tables to stay put on polished floors.
(4 per table)	Add \$80 list per table

Premium silver casters are available on tables with Toob and Ingot bases only. Dual wheel locking casters, black and silver (4 per table)Add \$80 list per table

......Add \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)


To replace standard centered "T" base.....Add \$35 list per table

Flip-Top Mechanism for Nested Storage "T" Base FFT


Easy trigger mechanism can be operated from either end of the table! Includes locking casters.

To replace standard "T" baseAdd \$310 list per table

To replace standard "X" base (max. table top 36").....Add \$150 list per table









HOSPITALITY &	MULTI-USE TABLES

.. Add \$50 list per table (specify table height in inches)






HOSPITALITY & MULTI-USE TABLES	
5	
AR Add \$40 list per table	

Bar Height with Foot Ring @ 40.5"h BAR-FR


40.5"h disk base with 19" dia. foot ring to replace standard disk base......Add \$215 list per table





HOSPITALITY & MULTI-USE TABLES

To replace standard floor mounted baseAdd \$50 list per table (specify table height in inches)




**For power & data options and wire management, see pages 112-115.



.. Add \$50 list per table (specify table height in inches)

Bar Height with Foot Ring @ 40.75"h BAR-FR

24"-30" tables have 14" dia. foot ring. 36"-48" tables have 19" dia. foot ring. Add \$150 list per table






Picture Frame Base Tables (BPF)

Upgrades and Add-ons

Custom Height CH





**For power & data options and wire management, see pages 112-115.


To replace standard base Add \$110 list per table (specify table ht. in inches; max. ht. for base=40.375")

Sizes and Leg Configurations

Angled Base Tables (BAC)

Part # Assessment size material edge base color (gree p.22 for steel base color steel base color options) steel base color	48" Diameter with 3 Legs 4800
ST - 4800 - F2 (D427/W) - E2 - BAC (S) product type (ST=Standard Table see p.116 for ordering table tops alone) p.06-19 for options) (if applicable) base style	
List Pricing Size tote from the state of th	
Size (4800) \$1,141 \$1,403 \$1,309 \$1,643 \$1,051 \$4,894 \$1,977	42" x 60" with A-Line Legs 4260A
0 60" Ø (6000) \$1,732 \$2,081 \$1,893 \$2,219 N/A N/A \$2,939	
42"x60" (4260A) A-Line \$1,520 \$1,643 \$1,583 \$1,737 \$1,520 \$5,457 \$2,701	
42"x60" (4260S) Splayed \$1,520 \$1,643 \$1,583 \$1,737 \$1,520 \$5,457 \$2,701	





60" Diameter with 4 Legs 6000




42" x 60" with Splayed Legs 4260S


**For power & data options and wire management, see pages 112-115.

Ornate Base Tables (BO)

Cantilevered Base Tables (BC)









Part # Assessment

Collaboration Tables



Collaboration Base Styles


A-Frame Base Tables (BAFC)



COLLABORATION TABLES

Picture Frame Base Tables (BPFC)

Parsons Base Tables (BPRC)








COLLABORATION TABLES

**For power & data options and wire management, see pages 112-115.

www.baltix.com

H-Frame Base Tables (BHC)



Please Note: Base style offered at 27.75"h or 40.375"h. For 27.75"h table, subtract 10% from list pricing.

**For power & data options and wire management, see pages 112-115.

(COLLABORATION TABLES
	ō o ō o o o o o o o ō o o o o o o o o o

www.baltix.com

Occasional Tables




Occasional Base Styles

Cubic Base Tables (B)












**For power & data options and wire management, see pages 112-115.

OCCASIONAL TABLES




.





Please Note: This occasional base style is offered at 25.25"h.

Picture Frame Base Tables (BPFCO)



Please Note: This occasional base style is offered at 14"h.




**For power & data options and wire management, see pages 112-115.


OCCASIONAL TABLES


www.baltix.com

Conference Tables










CONFERENCE TABLES


Mono Base Tables (BF)

............



List Pricing










Part # Assessment






**For power & data options and wire management, see pages 112-115.

CONFERENCE TABLES

Siz	ze A	F2 Minish	Enconerre Sandard Edge Juge	For Free Standard Lammer 10.00	F Free and the big and big	Multipu ¹⁰⁰⁰ ¹¹⁰⁰⁶ ¹¹⁰⁰⁶ ¹⁰⁰⁰ ¹⁰⁰⁰	1. Sublimon (B.)	1.18 Contraction and the second secon	6.13 6.19 6.14.10
0"	(48120)	\$9,863	\$10,013	\$10,013	\$10,463	\$12,263	\$17,363	call for quote	
4"	(48144)	\$10,523	\$10,703	\$10,703	\$11,243	\$13,403	\$19,343	call for quote	
8"	(48168)	\$12,589	\$12,799	\$12,799	\$13,429	\$15,949	\$22,879	call for quote	
2"	(48192)	\$13,249	\$13,489	\$13,489	\$14,209	\$17,089	\$25,009	call for quote	
6"	(48216)	\$13,909	\$14,179	\$14,179	\$14,989	\$18,229	\$27,139	call for quote	
0"	(48240)	\$13,163	\$13,463	\$13,463	\$14,363	\$17,963	\$27,863	call for quote	
0"	(48120)	\$9,863	\$10,013	\$10,013	\$10,463	\$12,263	\$17,363	call for quote	
4"	(54144)	\$13,031	\$13,234	\$13,234	\$13,841	\$16,271	\$22,954	call for quote	
8"	(54168)	\$13,875	\$14,111	\$14,111	\$14,820	\$17,655	\$25,451	call for quote	
2"	(54192)	\$14,719	\$14,989	\$14,989	\$15,799	\$19,039	\$27,949	call for quote	
6"	(60216)	\$16,406	\$16,744	\$16,744	\$17,756	\$21,806	\$32,944	call for quote	
0"	(60240)	\$17,344	\$17,719	\$17,719	\$18,844	\$23,344	\$35,719	call for quote	

GreenlitesTM Lightweight Tables



Greenlites[™] Lightweight Tables

How do we make them so light?

By swapping our usual green particle board table top substrate with an ultra light honeycomb material and by trading our typical steel bases for aluminum ones, we have managed to take up to half the weight out of our tables. The honeycomb core is made from recycled kraft paper and is bordered with a green MDF made from recycled wood fiber. The aluminum bases are durable, recyclable, and freight-friendly due to their light weight. We cover the substrate with Wilsonart® standard laminate and Wilsonart[®] matching edgeband.

What's the advantage to a lighter table?

Mobility! Many times it is a requrement that a table needs to flip, fold, nest, stack, or roll. These modular tables are simply easier to move around when they weigh less. Greenlites are the ultimate back saver!

Wilsonart Laminate Design Sampling (3 mm edgeband to match Wilsonart standard colors and designs.)



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.

Aluminum Base Color Selection (powder coat)



round (R)

.....

IIIII




(includes end caps)

extruded (E)



Rectangular Flip-Top Nesting (N)*





Corner radius: 3/32"

Part # Assessment



Please Note:

- * Nesting tables come standard with 2" premium locking casters.


Size	Table Weight (lbs.)	List Price
20"x60" (2460)	40	\$1,556
20"x72" (2472)	43	\$1,636
24"x60" (2460)	43	\$1,604
24"x72" (2472)	48	\$1,692
30"x60" (3060)	49	\$1,784
30"x72" (3072)	52	\$1,892
20"x60" (2460)	40	\$1,380
20"x72" (2472)	43	\$1,460
24"x60" (2460)	43	\$1,424
24"x72" (2472)	48	\$1,512
30"x60" (3060)	49	\$1,608
30"x72" (3072)	52	\$1,716



** Folding tables come standard with levelers. 2" premium locking casters can be substituted for an upcharge of \$100 list per table.

Adjustable Height Tables






ADJUSTABLE HEIGHT TABLES

		Edge Jupe	ace with 	h Bioc	-09e Nr 	(00)
	ST24	La Marching Edge Marchan (ann)	Good and a standard and a standard and a standard a sta	Eleband Lindour with Boc	Multiply Linoleum on Birch	Concercation.
ize	A C	1 L	4	14	2	
Ø (3000)	\$724	\$779	\$760	\$818	\$724	\$978
Ø (3600)	\$973	\$1122	\$937	\$1145	\$866	\$1204
4" (2424)	\$623	\$672	\$633	\$701	\$659	\$799
)" (3030)	\$732	\$791	\$765	\$830	\$736	\$989
)" (2460)	\$1115	\$1190	\$1261	\$1209	\$1089	\$1437
2" (2472)	\$1177	\$1356	\$1174	\$1417	\$1154	\$1586
)" (3060)	\$1214	\$1289	\$1253	\$1347	\$1117	\$1669
2" (3072)	\$1278	\$1746	\$1350	\$1922	\$1307	\$1892
)" (2460)	\$1329	\$1404	\$1475	\$1423	\$1303	\$1651
2" (2472)	\$1391	\$1569	\$1387	\$1631	\$1368	\$1800
)" (3060)	\$1428	\$1503	\$1467	\$1561	\$1330	\$1883
2" (3072)	\$1492	\$1960	\$1563	\$2135	\$1521	\$2106
)" (2460)	\$2012	\$2087	\$2159	\$2107	\$1986	\$2334
2" (2472)	\$2074	\$2253	\$2071	\$2315	\$2051	\$2484
)" (3060)	\$2111	\$2186	\$2150	\$2245	\$2014	\$2566
2" (3072)	\$2176	\$2644	\$2247	\$2819	\$2205	\$2790
)" (2460)	\$2106	\$2181	\$2252	\$2200	\$2080	\$2428
2" (2472)	\$2190	\$2369	\$2187	\$2431	\$2167	\$2600
)" (3060)	\$2208	\$2282	\$2247	\$2341	\$2110	\$2663
2" (3072)	\$2266	\$2734	\$2338	\$2910	\$2295	\$2880

**For power & data options and wire management, see pages 112-115.

www.baltix.com



Lecterns

Lecterns

Finish Options


Wilsonart Laminate Design Sampling (edgebanding to match)



Standard Lectern LECS

Two shelves, fixed height, 4 outlet electrical power strip base mounted (optional), 2" casters on one side for wheelbarrow-style rolling. Wilsonart front panel available in 18 standard colors (see next page). 20"d x 29"w x 44"h

Standard lectern (example: LECS-D427)L	list Price \$1,710
Add 4 outlet electrical power strip +PD (example: LECS-D427+PD)	235 to List Price



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge.

Steel Frame Color Selection (powder coat)







Optional flip up side shelf

Storage box with locking door, pull out shelf, top mounted power/data sphere, 2" casters on one side for wheelbarrow-style rolling. Willsonart lectern body available in 18 standard colors (see next page). 24"d x 29"w (with side shelf: 40"w) x 46"h

Premium Lectern (example: LECP-D427)	List Price \$4,605
Flip up side shelf +SS (example: LECP-D427+SS)Ad	d \$192 to List Price



For table bases that match lecterns, see the Wedge bases on page 38.

Filing & Storage Units



Filing & Storage Units

Drawer Pull Options



Powder Coat Colors






UM nickel lock








18" deep (example: PCM24h 22" deep (example: PCM24h



2-High Lateral File OLF02h Safety interlock system allows (example: OLF02h36w-S-AR

Part # Assessment





Freestanding Pedestal File (Box/Box/File) PFS-BBF

Solid top and counterweight included. 22"d x 15"w x 27-1/2"h (example: PFS27h22d-BBF-S-AR-UM)...

. \$495 list each

Freestanding Pedestal File (File/File) PFS-FF

Solid top and counterweight included. 22"d x 15"w x 27-1/2"h (example: PFS27h22d-FF-S-AR-UM)..... . \$460 list each



Mobile Pedestal File (Box/Box/File) PMB-BBF

Includes 4 black plastic casters - 2 locking, 2 non-locking. S under most standard-height desks. 15"w x 27-5/16"h	Solid top and counterweight included. Fits
18" deep (example: PMB27h18d-BBF-S-AR-UM)	
22" deep (example: PMB27h22d-BBF-S-AR-UM)	



Mobile Pedestal File (File/File) PMB-FF

Includes 4 black plastic casters - 2 locking, 2 non-locking.	Solid top and counterweight included. Fits
under most standard-height desks. 15"w x 27-5/16"h	
18" deep (example: PMB27h18d-FF-S-AR-UM)	\$465 list each
22" deep (example: PMB27h22d-FF-S-AR-UM)	\$480 list each



3-High Lateral File OLF03h Safety interlock system allows weight to prevent tipping. 18' (example: OLF03h36w-S-AF





Includes leveling glides with ³ (example: BKC02h30w-AR)



Includes 3 locks (keyed alike), coat closet wardrobe (left side), one adjustable cupboard shelf, and file/file pedestal. List pricing includes counter weight to prevent tipping. 24"d x 24"w x 51-1/2"h (example: WCT04h-LFT-FF-S-AR-UM) ..\$1.650 list each



Cushion Top Mobile Pedestal File (Box/File) PCM-BF

ers - 2 locking, 2 non-locking.	Counterweight included. 15"w x 24-1/8"h
h18d-BF-S-AR-NH333-UM).	\$495 list each
h22d-BF-S-AR-NH333-UM).	\$596 list each

s only	one /	drawe	er to	be (opened	at a	time.	18"	d x 3	36"w	x 27-	1⁄2"h		
R-UM)											\$735	5 list e	ach

vs only one drawer to be opened at a time.	List pricing includes counter
3"d x 36"w x 39-½"h	
R-UM)	

2 Shelf Bookcase with Square Legs **OPSQ-BK**

ipped detatched).	One height-adjustable shelf.	17-¹/ଃ"d x 30"w x 23"h
R)		\$610 list each

2 Shelf Bookcase with Levelers BKC02h

³ / ₄ " adjustability.	One height-adjustable shelf.	14"d x 30"w x 27 1/2""h
		\$575 list each

4-High Wardrobe-Cupboard Tower WCT04h-LFT-FF

Optional Power/Data Unit Add-ons



+M2X

Sits flat within the work surface for a high end finish, simply press on either side and it will pop up for use. Contains recycled content that can contribute toward LEED points. Configuration Options: • 2 Power/2 USB • 2 Power/2 Open Data (shown) • 4 Power Cord Lengths: • 72" (3-Prong) • 120" (3-Prong) Color Options: • Black Annodized Aluminum • Silver Annodized Aluminum (shown) \$1,051 list each



+E2X

With two power outlets and two single data ports on each side*. Sits flat within the work surface for a high end finish. Lift lid for access; lid can be closed while cords are plugged in for a flush top.

Configuration Options: • 3 Power/3 Open Data (shown) • 2 Power/2 Open Data • 3 Power/1 Extron Adapter Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)



+Ellora

This simple, smart design keeps cable clutter out of sight by allowing use while the lid is shut. Configuration Options: • 2 Power/1 USB/1 Cat 6 (shown) • 2 Power/2 Open Data • 3 Power/1 Extron Adapter Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

+ElloraQI

Here, users can walk up and connect - whether they're plugging in a laptop, iPhone, or tablet. Or maybe they're not plugging in at all - using Qi compatible charging on the lid instead. Configuration Options: • 2 Power/2 USB/3 Qi Coils • 3 Power/1 USB/3 Qi Coils (shown) Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Matte Black • Matte White (shown) \$694 list each

+Nacre

Stylish Nacre pops up to reveal a dynamic range of power, data and USB configurations.	
Configuration Options: • 2 Power/2 USB • 3 Power/1 USB (shown) • 4 Power	
Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)	
Color Options: • Black • White (shown)\$335 list	each

+Nacre2Port

All the style of Nacre in a compact, two port size. Configuration Options: • 1 Power/1 USB (shown) • 1 Power/1 USB A+C • 2 Power Cord Lengths: • 72" (3-Prong) • 120" (3-Prong) Color Options: • Black • White (shown)...... \$234 list each



+DEAN

Low profile and smooth, easy-to-clean surface doesn't pull attention away from other workplace elements. Configuration Options: • 2 Power/1 USB (shown) • 2 Power • 3 Power Cord Lengths: • 72" (3-Prong) • 120" (3-Prong) Color Options: • Black (shown) • White...... . \$257 list each



+GARCIA

Low-profile, low-voltage Garcia mounts under your surface.	
Configuration Options: • 2 USB (shown)	
Cord Lengths: • 60" Power Supply Cord	
Color Options: • Black (shown) • White	.ch



+MINI

Two outlets that can be mounted near the edge of the worksurface without cutting into it. Configuration Options: • 2 USB (shown) Cord Lengths: • 60" Power Supply Cord Color Options: • Black (shown) • White \$167 list each



+HQ All of your technology can come

power, even wireless-simply s Configuration Options: • 1 Pov Cord Lengths: • 72" (3-Prong) Color Options: • Black (shown)



All the convenience of the HQ v Configuration Options: • 1 Pov Cord Lengths: • 72" (3-Prong) Color Options: • Black • White

+HEMISPHERE

The domed shape, soft touch fi Configuration Options: • 2 Pov Cord Lengths: • 72" (3-Prong) Color Options: • Black • White

+ECLIPSE

First you see its modern circular Configuration Options: • 2 Pov Cord Lengths: • 72" (3-Prong) Color Options: • Black (shown)




The easy elegance of Node's cle

Configuration Options: • 1 USE Cord Lengths: • 72" (3-Prong) Color Options: • Black • White

+RSALT

Salt is a charging dynamo with d Configuration Options: • 1 USE Cord Lengths: • 72" (3-Prong) Color Options: • Black • White

+RPEPPER



+SSALT

Salt is a charging dynamo with du Configuration Options: • 1 USE Cord Lengths: • 72" (3-Prong) Color Options: • Black (shown)

+SPEPPER

Pepper is all power with it's single Configuration Options: • 1 Pow Cord Lengths: • 72" (3-Prong) Color Options: • Black • White

info@baltix.com





OPTIONAL POWER/DATA UNIT ADD-ONS

e together to recharge—however you connect. There's USB access, set any Qi-friendly device on the surface. wer/1 USB/1 Charging Pad (shown)
 120" (3-Prong) White
with an extra USB and two charging pads to power even more gadgets. wer/2 USB/2 Charging Pads (shown) • 120" (3-Prong)
e (shown)
inish, and circular simplex trio is modern yet playful. wer/1 USB • 2 Power/1 USB A+C (shown) • 3 Power • 120" (3-Prong) e (shown)
simplex design—then the face cleverly rotates to hide away when not in use ver/1 USB • 3 Power (shown) • 120" (3-Prong)
• White
ean, flush mount design is sure to complement a wide range of aesthetics. B (shown) • 1 Power/1 USB A+C • 2 Power • 120" (3-Prong) e (shown)
lual charging USB. B
• 120" (3-Prong) e (shown) \$98 list each
e spill-proof simplex. ver
 120" (3-Prong) White
lual charging USB. B
 120" (3-Prong) White
e spill-proof simplex. ver • 120" (3-Prong)
e (shown)\$58 list each

Optional Wire Management Add-ons



Wireway Grommet +WG

Grommet cutout with insert and cover. Hole size= 2", Overall diameter= $2^{3/8}$ " Color Options: • Black (shown) • White • Gray..... ... \$50 list each



4 Loop Wire Manager +WM

Screws to underside of the table surface. Just slip wires through the loops! 2 ¹⁹/₃₂"d x 3 ⁵/₈"w x 1 ⁵/₈"h Black only



Snap-on Wire Manager +WMS

Easy snap-on installation allows cover to be repositioned repeatedly. Capacity for many sizes of power and data cables. Standard length= 17 ³/₄" Color Options: • any steel base color (pg.22) except brushed steel and antique bronze \$40 list each



Hinged Wire Mannagment Door +WMHD

Hinge allows you to easily push open and feed your cords through. Door blends into the base to give it a solid look. Hole diameter=1" Hinged door= 3/4"w Color Options: • any steel base color (pg.22) except brushed steel and antique bronze \$100 list each



2 Holes= 3" diameter



Magnetic Wire Manager Cover for Square Column Bases +MWM


Large area for wire management of multiple power and cord sizes. Easy installation and reposition to any metal surface. 1"d x 2"w x 17 3/4"

Color Options: • any steel base color (pg.22) except wrinkle, metallic, brushed steel, or antique bronze \$45 list each




Wire Management Power Box +WMPB

Allows for almost any power/data option to be located in the center of a round or square table. Power box dimensions=12"d x 12"w x 3"h Power box hole dimensions=2" diameter on 3" column, 3 1/2" diameter on 4" column Bottom hole dimensions=1 1/2" diameter on 3" column, 2" diameter on 4" column Add-on price..... .. \$50 list each



Oval Wire Management Holes +WMO

Two simple oval holes on the inside of table leg to feed most cords/plugs down leg column. 1" x 2 1/2" Add-on price.....\$24 list each



Wire Management for Disk Bases +WMFD

Thru-holes from mounting plate profile power or data unit locate out the bottom of the disk base. 2 1/4" diameter hole on bottom of Add-on price.....

OPTIONAL WIRE MANAGEMENT ADD-ONS

Bolt-On Wire Management Door +WMBD

Available on 18" and 24" drum bases. Door size for 18"=19" x 6 5/8" Door size for 24"=19" x 8 5/8"

Color Options: • any steel base color (pg.22) except brushed steel and antique bronze \$300 list each


to floor. Allows for wires to pass from simple grommet hole or single low
ed in the center of a round or square table down through the column and
. Bottom hole dimensions=1 $^{7}\!/_{\!8}"$ diameter hole on bottom of 3" column, if 4" column

Table Top Only (TT)



	Size	1801 100 100 100 100 100 100 100 100 100	nist and FA	ABE THE WITH A START	allander of the state of the st	Met of the second	on Bird	
	24" Ø (2400)	\$184	\$240	\$199	\$274	\$225	\$386	
	30" Ø (3000)	\$300	\$364	\$341	\$409	\$300	\$593	
	36" Ø (3600)	\$574	\$746	\$533	\$773	\$450	\$840	
	42" Ø (4200)	\$630	\$840	\$754	\$1,035	\$544	\$1,099	
	48" Ø (4800)	\$690	\$953	\$859	\$1,193	\$600	\$1,470	
	60" Ø (6000)	\$1,133	\$1,481	\$1,294	\$1,620	N/A	\$2,273	
	24"x24" (2424)	\$184	\$240	\$195	\$274	\$225	\$386	
	30"x30" (3030)	\$296	\$364	\$334	\$409	\$300	\$593	
$\langle \rangle$	36"x36" (3636)	\$570	\$746	\$525	\$773	\$450	\$840	
\sim	42"x42" (4242)	\$623	\$840	\$750	\$1,035	544	\$1,099	
	48"x48" (4848)	\$683	\$953	\$848	\$1,193	\$600	\$1,470	
	24"x30" (2430)	\$233	\$308	\$248	\$349	\$281	\$480	
	30"x36" (3036)	\$420	\$521	\$431	\$574	\$413	\$683	
	24"x48" (2448)	\$353	\$476	\$379	\$544	\$394	\$746	
\sim	24"x60" (2460)	\$555	\$641	\$724	\$664	\$525	\$926	
\leq	24"x72" (2472)	\$626	\$833	\$623	\$904	\$600	\$1,099	
	30"x48" (3048)	\$469	\$619	\$499	\$694	\$469	\$956	
	30"x60" (3060)	\$656	\$743	\$701	\$810	\$544	\$1,181	
	30"x72" (3072)	\$698	\$1,238	\$780	\$1,140	\$731	\$1,406	

Part # Assessment



info@baltix.com

TABLE TOPS ONLY

IF you don't see the size or shape you need, please contact us for a custom quote.

Terms & Conditions of Sale

General

All prices are shown as list (MSRP). Contact us at info@baltix.com or your preferred dealer for approved discount. All catalogs, photographs, drawings, product price list and other printed materials are protected by copyright. All rights reserved. Product line names are trademarked. All Baltix products are sold using standard terms and conditions of sale found in the product price list, quotes, acknowledgments, and invoices. All submitted orders are subject to acceptance by Baltix. Any modification or supplementation to the terms and conditions must be clearly identified in a separate written document signed by an authorized Baltix representative.

All illustration, specifications, products, and prices in the product price list are based on the latest information available and Baltix reserves the right to make changes at any time without notice. Unauthorized distribution of the product price list does not constitute an offer to sell.

Small Order Processing Fee

Orders with a combined NET price, excluding shipping, under \$2,000.00 will be subject to a Small Order Processing Fee of \$225.00 NET. One charge per order.

Purchase Orders

Orders may be placed at: E-mail: sales@baltix.com Order Support: (952)698-1220

Accepted Payment Methods

Check ACH Debit (no fee)

Remittance Address: Baltix Sustainable Furniture, LLC Attn: Accounting 434 Lake Street, Suite 203 Excelsior, MN 55331

Payment Terms

Standard payment terms are 50% down payment at the time of order and balance due upon receipt of product. Orders are not released to production until the required 50% deposit has been received. An authorized Baltix representative must approve any other payment arrangement. Purchaser agrees that Baltix shall have the right to enforce a finance charge of 2% per month on any invoice outstanding more than NET 30 days. If a collection is necessary, the purchaser shall pay all collections costs including attorney's fees. Any product sold is the property of Baltix until the invoices have been paid in full.

Order Acknowledgement

Orders are accepted, manufactured and invoiced in accordance with Baltix acknowledgements and standard terms and condition of sale as stated herein. It is the purchaser's responsibility to notify Baltix of any discrepancies in the acknowledgement within two (2) days of the acknowledgement date, otherwise Baltix can accept no responsibility for manufacturing errors. Ship dates on the acknowledgement are estimated and actual ship dates may very due to events beyond the control of Baltix.

Taxes

Orders placed in Minnesota must be accompanied by a State Resale/Exemption Certificate (ST3). Baltix is not responsible for collecting sales tax in any other state. If you are not tax exempt, sales tax must be self-assessed.

Storage Policy

If the purchaser is unable to accept delivery as scheduled at the time of shipment, Baltix may transfer the order to storage. The following storage fees will apply: \$300.00 for the first month and \$150.00 for each additional month thereafter. Orders transferred to storage will be considered delivered for purposes including invoicing and payment.

Changes & Cancellation Policy

Baltix is a contract furniture manufacturer producing high quality, finished products that are built-to-order based on the purchaser's specifications. No finished products are inventoried. Orders may not be cancelled or changed without written consent of Baltix, such consent may be withheld, granted or granted subject to conditions, service charges and/or price changes, in Baltix' sole discretion. The refund of the customer's deposits shall not be granted in any circumstance. In the event that Baltix agrees to such a change or cancellation, and customer agrees to pay such charges, including, but not limited to, storage and shipment costs, costs of producing non-standard orders, costs of purchasing non-standard materials, costs of non-returnable items, cancellation costs imposed by Baltix and its suppliers, and any other costs resulting from the cancelation of this order by customer. Baltix may waive such costs at its sole discretion. Baltix does not accept returns. .

Freight & Shipping

All orders will be shipped in compliance with National Motor Freight Classification Code (NMFC). All orders will be shipped F.O.B. Baltix Origin, freight cost prepay and add. Legal responsibility for the product transfers to the buyer upon acceptance by the carrier. All products are shipped based on a dock-to-dock delivery only. Unless otherwise noted, Baltix will use "best way" shipping. Baltix assumes no responsibility for warehousing or demurrage when consignee is unable to accept shipment at the delivery point. Additional expenses incurred by Baltix for any add-on accessorial at the time of delivery will be billed to the customer as "additional handling". Examples of add-on accessorials include, but are not limited to: Inside Delivery, Limited Access, Residential Delivery, Construction Site Delivery, and Redelivery. Baltix shall not be held liable for delays caused by strikes, catastrophes, wars, riots, or any other cause beyond our control.

Customer Pick Ups (3rd Party)

All products are loaded on carrier trucks free from defects and/or damage. Responsibility of safe delivery and transport of products is assumed by the customers carrier upon loading. Legal responsibility and cost for the product transfers to the buyer upon acceptance by the carrier.

Freight Damage

Legal title to merchandise passes to the buyer upon acceptance by the carrier. It is the customer's responsibility to inspect all skids, crates, a-frames, cartons (boxes), and packages at time of delivery for damages or shortages regardless of condition. Any damages found during inspection must be clearly noted on the proof of delivery (POD) slip. It is the customers responsibility to notify the carrier within three (3) days of any visible or concealed damage that has occurred. All product is thoroughly inspected before it leaves our factory; therefore, it is the buyer's responsibility to seek recourse against the carrier.

Warranty, Limitations, & Disclaimers

Warrantv

Baltix warrants that all products it manufactures are, at the date of shipment, guaranteed free from defects in materials and workmanship for two (2) years. This warranty is offered to original customers who have acquired the goods directly from a Baltix authorized dealer or direct from Baltix. Any product that fails to function as intended and is found defective in material or workmanship by Baltix will be repaired or replaced without charge to the purchaser or, at the election of Baltix, a credit will be issued up to the invoice price of the product. This warranty is not applicable where, in the judgement of Baltix, the defect is caused by normal wear and tear, misuse, misapplication, modification, or damage after shipment, including failure to properly maintain the product or similar cause. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability of fitness for ordinary or particular purpose.

Exceptions

Outdoor tables and bases: One (1) year from date of shipment. Electrical components: One (1) year from date of shipment. Third Party specified and supplied products: Supplier Warranty Finishing: our finishes are designed to be moisture resistant, but, if exposed to standing water for longer than 24 hours, discoloration and disfiguration can occur. This is typical for any finished furniture product. There are no other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or of fitness for a particular purpose.

Design Rights

The designs shown in Baltix' catalogs and price lists are proprietary to Baltix and Baltix reserves the exclusive right to manufacture them. Any reproduction of these designs infringes Baltix' rights and that infringement will be prosecuted.





