

#### Please Note:

#### All Commercial-Grade Furniture is Shown with List Pricing

To receive your standard or volume discount, please contact us at info@baltix.com or call us at (952) 698-1220



For more than 20 years, Baltix Sustainable Furniture has been proudly manufacturing durable American Made commercial furniture right here in the heart of Minnesota. Our unwavering commitment to sourcing only the most sustainable and durable raw or finished materials utilized in the fabrication of our products has helped us become a trusted partner to some of the largest companies in the world. This commitment to unparalleled sourcing, engineering, and craftsmanship lends itself to our high-quality finished products that will stand the test of time in all commercial environments. As a socially and environmentally conscious manufacturer, it is our duty to leave as little of a footprint as possible. To help reduce this footprint, we have made a commitment to plant one tree for every product that is ordered and manufactured. We call this our Buy One. Grow One<sup>TM</sup> promise. To learn more about how your purchase makes a difference, please turn the page!

## Radically Transparent

At Baltix, we believe that transparency builds trust, and we would not have it any other way. Over the years, there has been a significant amount of "green washing" regarding what is truly green, sustainable or not. We are straightforward and honest with our customers by openly sharing technical information about our products and the raw materials that they are made from. If you have questions, we have answers. **We don't hide behind our tables, we meet at them.** 

#### **Customer Centric**

Our customers are an integral part of what we do. Without them, we simply would not exist. From first call to final installation and everything in between, our team is committed to providing superior customer service while sharing our vast industry knowledge to guide the specification and ordering process. By choosing Baltix as your furniture partner you can trust that we will manufacture our products to your exacting specification and deliver on-time, every time.


#### SMaRT® Certified

In 2015, Baltix became the first commercial furniture manufacturer to achieve the Platinum Sustainable Procurement Certification for healthy products. Through our forward-thinking supplier network, we were able to exceed the stringent sustainability certification prerequisites set forth by The Institute for Market Transformation to Sustainability.

## American Sourced | American Made

We are proud that our products are manufactured here in Minnesota. By strategically partnering with our U.S. based raw and finished material supplier network, we can produce our products with precision quality, shorter lead times, and unbeatable value, while also contributing to the creation of American jobs.














At Baltix, we are a company set on the foundation of environmental preservation. We are here not only to help your purchases make a difference, but to also help reduce the footprint that our company and our products leave behind. Baltix is proud to have partnered with OneTreePlanted.org, a 501(c)(3) non-profit that helps restore our forests by replanting trees in deforested areas across the world. In creating our Baltix One Tree Planted partnership, we are taking our environmental leadership one step further; we call this our Buy One. Grow One<sup>TM</sup> promise. For every product ordered and manufactured, we have committed to planting one tree in an effort to improve the global environment we share and live in.



## Contents

#### 04 ..... Sustainable Surface Materials

06 (F2) Wilsonart® Standard Laminate with Matching Edgeband

- 07 (F4) Wilsonart® Standard Laminate on Birch Multiply
- 08 (F6) Forbo® Linoleum with BioEdge™ Edgeband
- 09 (F7) Forbo® Linoleum on Birch Multiply
- 10 (F8) Powder Coated MDF
- 11 (F16) Nuxite®
- 12 (F17) Solid Hardwood (Butcher Block)
- 13 (F18) Cambria® Quartz
- 14 (F19) Corian® Quartz
- 5 (F20) Caesarstone® Quartz
- 16 (F21) Consentino® Silestone® Quartz
- 17 (F22) Consentino® DEKTON® Ultracompact Surface
- 18 (F23) Corian® Solid Surface
- 19 (F24) Livingstone® Solid Surface

#### 20 ..... Sustainable Base Materials & Finishes

- 22 Steel Bases
- 23 Cast Iron Bases
- 23 Stainless Steel Bases

#### 24 ..... Hospitality & Multi-use Tables

#### 26...... Hospitality & Multi-use Base Styles

- 28 Mode Base Tables (BM)
- 30 Taper Base Tables (BE)
- 32 Zone Base Tables (BZ)
- Toob Base Tables (BT)
- 36 Double Column Flip-Top Toob Base Tables (BTF)
- 38 Wedge Base Tables (BW)
- 40 Ingot Base Tables (BI)
- 42 Arch Base Tables (BA)
- 44 Double Column Flip-Top Arch Base Tables (BAF)
- 46 Swoop Base Tables (BS)
- 48 Bold Base Tables (BB)
- 50 Slim Round Base Tables (BSD)
- 52 Slim Square Base Tables (BSS)
- 54 Slim Squircle Base Tables (BSQ)56 Stainless Steel Square Base Tables (BST)
- 58 Floor Mounted Base Tables (BFM)
- 60 Heavy Round Base Tables (BHR)
- 62 Trumpet Base Tables (BR)
- 64 Picture Frame Base Tables (BPF)
- 6 Angled Base Tables (BAC)
- Ornate Base Tables (BO)
- GO Cantilevered Base Tables (BC)

#### 70 ..... Collaboration Tables

#### 72..... Collaboration Base Styles

- 73 A-Frame Base Tables (BAFC)
- 74 Picture Frame Base Tables (BPFC)
- 75 Parsons Base Tables (BPRC)
- 76 H-Frame Base Tables (BHC)

#### 78.....Occasional Tables

#### 80..... Occasional Base Styles

- 81 Cubic Base Tables (BCU)
- 82 C-Base Tables (BCE)
- 83 Laptop Base Tables (BLT)
- Picture Frame Base Tables (BPFCO)

#### 86 ..... Conference Tables

#### 88..... Conference Table Base Styles

- Toob Base Tables (BTT)
- 90 Ingot Base Tables (BII)
- 91 Arch Base Tables (BAA)
- 2 XL Angled Base Tables (BAX)
- 93 Drum Base Tables (BDR)
  - Mono Base Tables (BF)

#### 96.....Greenlites™ Lightweight Tables

#### 100...Adjustable Height Tables

- 104...Lecterns
- 108...Filing & Storage Units
- 112...Optional Power/Data Unit Add-ons
- 114...Optional Wire Management Add-ons
- 116...Table Top Only (TT)
- 118...Terms & Conditions of Sale
- 119...Warranty, Limitations, & Disclaimers

Sustainable Surface Materials



# (F2) Wilsonart® Standard Laminate with Matching Edgeband

Wilsonart® laminate surfaces offer designers a range of options from dramatic and playful to natural and subdued designs. The majority of Wilsonart® laminate finishes feature AEON™ Enhanced Performance Technology. AEON™ Technology outperforms traditional laminates on wear resistance, as well as scratch/scuff/mar resistance by up to 5 times. Wilsonart® laminate is 70% paper, making it the most environmentally friendly laminate option on the market. With continuous product and process improvement, Wilsonart® laminate has a minimal impact on the environment. At Baltix we use a non-VOC adhesive to adhere Wilsonart® laminate surfaces to a 100% recycled, CARB Il compliant particle board substrate finished with a 3mm matching Wilsonart® edgeband for a seamless look and finish.



#### range of options from dramatic and playful to natural and subdued designs. The majority of Wilsonart® laminate finishes feature AEON™ Enhanced Performance Technology. AEON™ Technology outperforms traditional laminates

on wear resistance, as well as scratch/scuff/mar resistance by up to 5 times. Wilsonart® laminate is 70% paper, making it the most environmentally friendly laminate option on the market. With continuous product and process improvement, Wilsonart® laminate has a minimal impact on the environment. At Baltix we use a non-VOC adhesive to adhere Wilsonart® laminate surfaces to a CARB II compliant birch multiply substrate. The exposed edges of the birch multiply substrate are then finished with a non-VOC clearcoat to provide protection from moisture and heavy commercial use.



#### **Wilsonart Laminate Design Sampling**



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.

#### **Edge Profile**



Corner radius: 3/32

#### **Wilsonart Laminate Design Sampling**

Wilsonart® laminate surfaces offer designers a



(F4) Wilsonart® Standard Laminate on Birch Multiply

Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.

#### **Edge Profile Options**



Corner radius: 3/4"

Corner radius: 1/8'

# (F6) Forbo<sup>®</sup> Linoleum with BioEdge<sup>™</sup> Edgeband

Forbo® Marmoleum™ (linoleum) is a versatile classic with a contemporary edge. Ranging from subtle marbled designs to modern concrete and intriguing striated patterns, Forbo® Marmoleum™ offers a design to suit every taste or application. Finished with Topshield 2<sup>™</sup>, Forbo<sup>®</sup> Marmoleum<sup>™</sup> can stand the test of time in all commercial applications. Naturally beautiful, durable, sustainable and healthy! Marmoleum™ is a 100% USDA Certified Biobased Product. Marmoleum™ is made from 97% natural raw materials, 70% of which are rapidly renewable, along with 43% recycled content. The key raw materials include linseed oil, wood flour, jute, and pine rosin. At Baltix we use a non-VOC adhesive to adhere Forbo® Marmoleum™ to a CARB II compliant 100% recycled particle board substrate. The edges are finished with a non-PVC BioEdge™ edgeband, a bio-plastic material made from corn biopolymer.

## Forbo Linoleum Design Sampling



Please Note: Hundreds of additional linoleum colors and designs are available.

## Edge Profile & BioEdge™ Edgeband Color Selection



# (F7) Forbo<sup>®</sup> Linoleum on Birch Multiply

Forbo® Marmoleum™ (linoleum) is a versatile classic with a contemporary edge. Ranging from subtle marbled designs to modern concrete and intriguing striated patterns, Forbo® Marmoleum™ offers a design to suit every taste or application. Finished with Topshield 2<sup>™</sup>, Forbo<sup>®</sup> Marmoleum<sup>™</sup> can stand the test of time in all commercial applications. Naturally beautiful, durable, sustainable and healthy! Marmoleum™ is a 100% USDA Certified Biobased Product, Marmoleum™ is made from 97% natural raw materials, 70% of which are rapidly renewable, along with 43% recycled content. The key raw materials include linseed oil, wood flour, jute, and pine rosin. Baltix uses a non-VOC adhesive to adhere Forbo® Marmoleum™ to a CARB II compliant birch multiply substrate. The exposed edges of the birch multiply substrate are then finished with a non-VOC clearcoat to provide protection from moisture and heavy commercial use.

## Forbo Linoleum Design Sampling



Please Note: Hundreds of additional linoleum colors and designs are available.

#### **Edge Profile Options**





Corner radius: 3/4" Corner radius: 1/8'

# (F8) Powder Coated MDF

Wood (MDF) powder coating is one of the strongest finishes available, making it perfect for a wide variety of tabling applications. Using a revolutionary technology, the crosslink color polymers are thermally fused to a CARB II compliant MDF substrate. Unlike edgebanded tables, powder coated wood offers seamless edges that will not accumulate harmful bacteria and dirt. The powder coating process and finish is environmentally friendly, with no HAP's, VOC's, PVC's, or hazardous wastes. The overspray from powder coating is also reused, not wasted. This unique process results in an exceptionally strong bond for a smooth finish that is moisture and stain resistant and durable for a long useful life.






Nuxite® is a biocomposite surface material unmatched in its combination of beauty, warmth, and durability. It is a naturally stainresistan and renewable material unlike any other. This biocomposite material is made from crushed walnut shells suspended in a zero VOC resin binder. This resin binder does not off-gas any harmful chemical byproducts before, during, or after the creation of each surface. In addition, this premium resin allows us to make a table surface that is stronger, more durable, and more environmentally friendly than composites made with polyester resin. The walnut shells are sustainably grown and are a renewable byproduct of the annual walnut food crop harvest.



#### **Powder Coat Color Sampling**











146 grey 144 chocolate

#### **Nuxite Close-up**



Please Note: Custom colors are available; minimum quantity and set-up fees will apply.

#### **Edge Profile Options**



Corner radius: 3/4"



Corner radius: 1/8"



Corner radius: 1 1/4"

**Edge Profile** 



Corner radius: 3/4"

10 11 info@baltix.com www.baltix.com

# (F17) Solid Hardwood (Butcher Block)

Our solid hardwood butcher block surfaces are created with superior high quality craftsmanship and constructed with kilndried, uniform-width staves face-glued in a continuous pattern. We offer a number of beautiful hardwood species including maple, oak, ash, beech and walnut. Each hardwood surface is finished with food-safe and moisture-resistant clearcoat finish. With no additional upcharge, we also offer walnut stain finish for maple, oak, ash, and beech species. Following multiple years of use, this hardwood material can be sanded and refinished for extended life of the table surface.




# (F18) Cambria<sup>®</sup> Quartz

Cambria® quartz is 93% pure, natural quartz, one of the hardest and most abundant minerals on Earth. Created with American-made quality, Cambria offers easycare convenience, 100% non-absorbency, and incredible durability for even the busiest commercial settings. Cambria's commitment to the environment includes the recycling of all metal tooling, as well as 100% of the water used in polishing. Cambria® is a member of the Health Product Declaration Collaborative (HPDC), Living Building Challenge Compliant, and is a participating member in the Declare program. In addition, Cambria has been certified by Mindful Materials. Each table surface includes a 34" plywood insert for easy base attachment.





#### **Hardwood Species Selection**



Please Note: Add a 25% upcharge to list price for walnut species. Custom stains available; set up fees will apply. It is the customer/user's responsibility to maintain a 30% humidity level to accommodate solid wood tables.

#### **Edge Profile Options**







# Corner radius: 1/8'

#### **Cambria Design Sampling**



Please Note: Hundreds of additional Cambria designs are available. Luxury style and matte finish available; contract Baltix for pricing. Standard thickness is 3cm (1-3/16"); contact Baltix for pricing on 2cm and 4cm thicknesses. Tables include a predrilled 3/4" plywood insert for easy base attachment.

## **Edge Profile Options**









Corner radius: 3/4"

13

# (F19) Corian® Quartz

Corian® quartz (formerly Zodiaq® Quartz) is engineered with pure quartz crystals making it an extremely durable table surface that can withstand the daily wear and tear of commercial environments. This added durability minimizes the short and long-term maintenance regimens that other surface materials require. In addition, Corian® quartz contributes to sustainable design. Corian® quartz and its adhesives and sealants meet or exceed emissions guidelines for volatile organic compounds (VOC's), and are nontoxic and non-allergenic for humans. Each table surface includes a ¾" plywood insert for easy base attachment.

# (F20) Caesarstone® Quartz

Caesarstone® quartz surfaces combine beauty with outstanding performance, enabling you to bring your design imagination to life. Caesarstone® surfaces meet exacting standards of excellence from initial procurement of raw materials to the final quality control check. Caesarstone® quartz is blended at a ratio of up to 93% natural quartz aggregates with pigments and polymer resins. Caesarstone® quartz meets the exacting American GREENGUARD Standards and is a member of the Healthy Product Declaration (HPD) for material transparency. Each table surface includes a ¾" plywood insert for easy base attachment.



#### **Corain Quartz Design Sampling**



Please Note: 56+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Corian Quartz tables are quote only. Please contact Baltix for pricing.

## Caesarstone Design Sampling



Please Note: 50+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this

material, Caesarstone Quartz tables are quote only. Please contact Baltix for pricing.

## **Edge Profile Options**



Corner radius: 3/4"

1<sup>3</sup>/<sub>16</sub>" E3

Corner radius: 3/4"






•

Corner radius: 1"

**Edge Profile Options** 









Corner radius: 3/4"

Corner radius: 3/4"

dius: 3/4" Corner radius: 1"

# (F21) Consentino<sup>®</sup> Silestone<sup>®</sup> Quartz

Silestone® natural quartz is a surface material with outstanding properties created for almost any commercial application. Silestone® is low-maintenance and has a low absorption rate.

Silestone's nearly indestructible surface is stain, scorch, and scratch-resistant. In addition to its durability, this material is offered in wide variety of beautiful color options that are sure to catch your eye.

Silestone® is internationally certified to ensure maximum safety and protection. Each table surface includes a ¾" plywood insert for easy base attachment.




# (F22) Consentino® DEKTON® Ultracompact Surface

DEKTON® Ultracompact Surface is a sophisticated blend of the raw materials used to produce the very latest in glass and porcelain as well as the highest quality quartz surfaces. DEKTON® employs exclusive Sinterized Particle Technology, a high-tech process which represents an accelerated version of the metamorphic change that natural stone undergoes when subjected to high temperatures and pressure over thousands of years. DEKTON® offers zero porosity and a lack of micro-defects that cause tension and weak spots. This cutting-edge material offers superior scratch resistance, stain resistance, and resistance to temperature variation. In addition, DEKTON® is highly resistant to ultra violet (UV) light allowing this material to be utilized for indoor and outdoor applications. DEKTON® is GREENGAURD certified GOLD and has obtained the Environmental Product Declaration (EPD). Each table surface includes a 34" plywood insert for easy base attachment.



#### **Consentino Silestone Design Sampling**




Please Note: 60+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Silestone Quartz tables are quote only. Please contact Baltix for pricing.


## **Consentino Dekton Design Sampling**



Please Note: 50+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, DEKTON tables are quote only. Please contact Baltix for pricing.


## **Edge Profile Options**





Corner radius: 3/4"





Corner radius: 1"

#### **Edge Profile Options**









Corner radius: 3/4"

Corner radius: 3/4"

Corner radius: 3/4"

Corner radius: 1"

# (F23) Corian® Solid Surface

Corian® solid surface is a solid nonporous homogenous surface material, composed of 1/3 acrylic resin and 2/3 natural minerals. Corian® solid surface offers designers versatility, functionality and durability across many commercial applications. It has low moisture absorption, and is resistant to environmental pollutants, humidity, and freeze-thaw conditions. With these unique material characteristics, Corian® solid surface can be utilized for indoor and outdoor applications. Corian® solid surfaces and cured Corian® adhesives and sealants are GREENGUARD Indoor Air Quality Certified® for low VOC content emissions. In addition, Corian® solid surface is nontoxic and non-allergenic to humans. Each table surface includes a ¾" plywood insert for easy base attachment.



# (F24) Livingstone® Solid Surface

LivingStone® 100% acrylic solid surface is a non-porous, homogenous material comprised of acrylic polymers and natural minerals yielding a through-body color, not laminated, coated, or of composite construction. In its finished form, LivingStone® solid surface is nontoxic, and non-allergenic to humans and can be utilized for indoor and outdoor use. LivingStone® solid surface is easy to clean and maintain allowing for years of legendary performance. LivingStone® is sure to have a color or design to meet your requirements. Each table surface includes a ¾" plywood insert for easy base attachment.





#### **Corian Solid Surface Design Sampling**




Please Note: 110+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Corian Solid Surface tables are quote only. Please contact Baltix for pricing.

## **Edge Profile Options**










#### Corner radius: 1"


#### **Livingstone Design Sampling**





Please Note: 92+ design options available. Tables include a predrilled 3/4" plywood insert for easy base attachment. Due to the yielding of this material, Livingstone solid surface tables are quote only. Please contact Baltix for pricing.

## **Edge Profile Options**










Corner radius: 3/4" Corner radius: 3/4"



Sustainable Base Materials & Finishes



# Steel Bases

Baltix offers a comprehensive collection of steel base styles that can fit in any commercial environment. These bases are built using 14 gauge steel and the mounting plates are made of 7 gauge steel with welded reinforcement. All welded joints are ground smooth for commercial applications. These bases come in 19 standard VOC-free powder coat color options. Baltix offers




bases at custom heights per your specification. We also offer a wide variety of base add-on options: locking casters, flip-top mechanism (nesting), folding, adjustable height, wire management and more. All steel bases are commercial-grade and support BIFMA standards. The steel utilized to manufacture these bases includes 30+% recycled content.

## Cast Iron Bases


Our cast iron bases are made from 100% recycled grey iron (used or scrap) material. These bases will not bend or flex and are dent- and impact-resistant. The cast iron bases are finished with a non VOC black wrinkle powder coat that will stand up to cleaning products, shoe marks, and also deters rust. These commercial-grade bases are engineered with added wall thickness and support ridges on the underside to provide added strength.



#### **Powder Coat Color Selection**















FW furniture white

NL neutral light

**GGW** Georgian gray







SP platinum metallic



AG auburn gray













CB coal black

WB western beige

**BS** brushed steel

#### **Material Color**



**BW** black wrinkle

# Stainless Steel Bases

Classic design meets beautiful finish with our stainless steel square base. This table base is made from 304 grade stainless steel and is offered at standard or bar height (optional footring available). 304 grade stainless steel offers impressive strength as well as incredible corrosion resistance.




#### **Material Color**





22 23 info@baltix.com www.baltix.com 952,698,1220

Hospitality & Multi-use Tables



# Hospitality & Multi-use Base Styles





\$359

\$494

\$858

\$1,445

\$1.873

\$359

\$494

\$883

\$659

\$707

\$827

\$857

\$973

\$864 \$1,145

\$860 \$1,145

\$786 \$1,067

\$943 \$1,603

\$419

\$635

\$517

\$542

\$887

\$662

\$1,205

\$1,385 | \$1,734 | \$1,546

\$449

\$856

\$950

\$393

\$607

\$639

\$804

\$996

\$782

\$935 \$1,205 \$1,100 \$1,445

\$382

\$680

\$506

\$516

\$789

\$632

\$861 \$1,401

\$311 \$1,233

\$386 \$1,706

\$536 \$2,279

\$853 \$4,696

\$311 \$1,233

\$386 \$1,706

\$560 \$2,304

\$367 \$1,578

\$498 \$1,942

\$557 \$2,102

\$688 \$2,552

N/A

N/A

\$2,253 call for quote

\$6 294 call for quote

\$472 \$1,046 call for quote

\$950 \$2,278 call for quote

\$566 \$1,286 call for quote

\$768 \$1,912 call for quote \$909 \$2,346 call for quote

\$654 \$3,538 \$1,209 \$3,099 call for quote

\$2 525

\$654 \$3,538 \$1,209 \$3,099 call for quote

\$853 \$4,696 \$1,723 \$4,156 call for quote

\$1,089

\$763 | \$2,998 | \$1,262 | \$3,381 | call for quote

\$632 | \$2,537 | \$1,119 | \$2,871 | call for quote

\$707 | \$3,088 | \$1,344 | \$3,519 | call for quote \$894 \$3,643 \$1,569 \$4,168 call for quote

Size 24" Ø (2400)

30" Ø (3000)

36" Ø (3600)

42" Ø (4200)

48" Ø (4800)

60" Ø (6000)

24"x24" (2424)

30"x30" (3030)

36"x36" (3636)

48"x48" (4848)

24"x30" (2430)

24"x48" (2448)

24"x72" (2472)

30"x48" (3048)

30"x60" (3060)

Upgrades and Add-ons




## Bar Height BAR

40.25" h base to replace standard "X" base ....... 40.25" h base to replace standard "T" base .....



## Bar Height "X" Base with Foot Ring BAR-FR

40.25"h "X" base with 19" diameter foot ring to replace standard "X" base..... ...Add \$150 list per table








List Pricin	g		nd	idde Type	ir grinde	THING TO LUGE	birii dikan iii	;;;; <u>l</u> ld. <sup>(2)</sup>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Si-a 4	able top	inish a seath	idge Type	or Child and	And Anited States	Solving Co	G white	7 Sold Hed	and day	Agget 12 d
	Size 4	\$433	\$489	\$448	\$523	\$474	\$1,397	\$635	\$1.200	call for quote	
	30" Ø (3000)	\$582	\$646	\$624	\$691	\$582	\$1,902	\$875		call for quote	
	36" Ø (3600)	\$921	\$1,093	\$879	\$1,119	\$797	\$2,541	\$1,187		call for quote	
	42" Ø (4200)	\$977	\$1,187	\$1,101	\$1,382	\$891	\$3,774	\$1,446		call for quote	
	48" Ø (4800)	\$1,037	\$1,299	\$1,206	\$1,539	\$947	\$4,791	\$1,817	\$4,251	call for quote	
	60" Ø (6000)	\$1,781	\$2,129	\$1,942	\$2,268	N/A	N/A	\$2,921	\$6,689	call for quote	
	24"x24" (2424)	\$433	\$489	\$444	\$523	\$474	\$1,397	\$635	\$1,209	call for quote	
	30"x30" (3030)	\$579	\$646	\$616	\$691	\$582	\$1,902	\$875	\$1,820	call for quote	
	36"x36" ( <mark>3636</mark> )	\$917	\$1,093	\$872	\$1,119	\$797	\$2,541	\$1,187	\$2,514	call for quote	
	42"x42" (4242)	\$969	\$1,187	\$1,097	\$1,382	\$891	\$3,774	\$1,446	\$3,336	call for quote	
	48"x48" (4848)	\$1,029	\$1,299	\$1,194	\$1,539	\$947	\$4,791	\$1,817	\$4,251	call for quote	
	24"x30" (2430)	\$515	\$590	\$530	\$631	\$564	\$1,775	\$762	\$1,482	call for quote	
	30"x36" (3036)	\$744	\$845	\$755	\$898	\$737	\$2,180	\$1,007	\$2,150	call for quote	
	30"x48" (3048)	\$943	\$1,093	\$973	\$1,168	\$943	\$2,848	\$1,430	\$3,181	call for quote	
	30"x60" (3060)	\$1,130	\$1,216	\$1,175	\$1,284	\$1,018	\$3,399	\$1,655	\$3,830	call for quote	
J	30"x72" (3072)	\$1,171	\$1,711	\$1,254	\$1,914	\$1,205	\$3,954	\$1,880	\$4,479	call for quote	



## Bar Height BAR

40.75" h base to replace standard "X"	base	Add \$75 list per table
40.75" h base to replace standard "T"	base	.Add \$150 list per table





List	Pricin	g Size ^	able Took	inishand	idde Tyde	and James of the state of the s	Chicold Control of Con	3 South	ded Mild	11 5 dd 1 dd	thod lauded	AND THE PARTY OF T
		24" Ø <b>(2400)</b>	\$343	\$399	\$358	\$433	\$384	\$1,306	\$545	\$1,119	call for quote	
		30" Ø (3000)	\$459	\$523	\$500	\$568	\$459	\$1,779	\$751	\$1,696	call for quote	
		36" Ø (3600)	\$733	\$905	\$691	\$931	\$609	\$2,353	\$999	\$2,326	call for quote	
	45	42" Ø (4200)	\$838	\$1,048	\$962	\$1,243	\$752	\$3,635	\$1,307	\$3,197	call for quote	
		48" Ø (4800)	\$898	\$1,160	\$1,067	\$1,400	\$808	\$4,652	\$1,678	\$4,112	call for quote	
		60" Ø (6000)	\$1,646	\$1,995	\$1,807	\$2,134	N/A	N/A	\$2,786	\$6,555	call for quote	
		24"x24" (2424)	\$343	\$399	\$354	\$433	\$384	\$1,306	\$545	\$1,119	call for quote	
		30"x30" (3030)	\$455	\$523	\$493	\$568	\$459	\$1,779	\$751	\$1,696	call for quote	
		36"x36" (3636)	\$729	\$905	\$684	\$931	\$609	\$2,353	\$999	\$2,326	call for quote	
	<b>4</b>	42"x42" (4242)	\$830	\$1,048	\$958	\$1,243	\$752	\$3,635	\$1,307	\$3,197	call for quote	
		48"x48" (4848)	\$890	\$1,160	\$1,055	\$1,400	\$808	\$4,652	\$1,678	\$4,112	call for quote	
<		24"x30" <b>(2430)</b>	\$391	\$466	\$406	\$508	\$440	\$1,651	\$639	\$1,359	call for quote	
	<u></u>	30"x36" (3036)	\$628	\$729	\$639	\$782	\$620	\$2,064	\$890	\$2,034	call for quote	




## Bar Height BAR



## Bar Height Disk Base with Foot Ring BAR-FR

41.5"h disk base with 19" diameter foot ring to replace standard disk base......Add \$150 list per table



List Pricin	g		8	idde Type	ir indige	ndirect of	a land	,;;; <b>;!!!!!</b> !!!		,;;;;;; <u> </u>    <b>0.</b> 11)	
	Size ^	able 700 f	ilial and	idae Type	ord dagged	od Milliod	on Bright Co	Company of the control of the contro	1 5 dd Hed	Magd Blide	Age 12 de la
	24" Ø (2400)	\$476	\$532	\$491	\$566	\$517	\$1,440	\$679	Φ1 0E0	call for quote	
	30" Ø (3000)	\$594	\$658	\$635	\$703	\$594	\$1,440	\$886	Ψ1,202	call for quote	
	36" Ø (3600)	\$892	\$1,065	\$851	\$1,091	\$768	\$2,512	\$1,158		call for quote	
	42" Ø (4200)	\$950	\$1,160	\$1,074	\$1,355	\$864	\$3,748	\$1,419		call for quote	
	48" Ø (4800)	\$1,025	\$1,287	\$1,194	\$1,527	\$935	\$4,779	\$1,805		call for quote	
	60" Ø (6000)	\$1,652	\$2,001	\$1,813	\$2,139	N/A	N/A	\$2792		call for quote	
	24"x24" (2424)	\$476	\$532	\$487	\$566	\$517	\$1,440	\$679	\$1,252	call for quote	
	30"x30" (3030)	\$590	\$658	\$628	\$703	\$594	\$1,914	\$886	\$1,831	call for quote	
	36"x36" (3636)	\$888	\$1,065	\$843	\$1,091	\$768	\$2,512	\$1,158	\$2,486	call for quote	
	42"x42" (4242)	\$943	\$1,160	\$1,070	\$1,355	\$864	\$3,748	\$1,419	\$3,309	call for quote	
	48"x48" (4848)	\$1,202	\$1,472	\$1,367	\$1,712	\$1,119	\$4,963	\$1,989	\$4,423	call for quote	
	24"x30" (2430)	\$525	\$600	\$540	\$641	\$574	\$1,785	\$772	\$1,492	call for quote	
	30"x36" (3036)	\$716	\$817	\$727	\$869	\$708	\$2,152	\$978	\$2,122	call for quote	
~ ~	24"x48" (2448)	\$731	\$855	\$758	\$923	\$773	\$2,318	\$1,125	\$2,561	call for quote	
~	24"x60" (2460)	\$934	\$1,020	\$1,103	\$1,043	\$904	\$2,768	\$1,305	\$3,079	call for quote	
	24"x72" (2472)	\$1,005	\$1,211	\$1,001	\$1,283	\$979	\$3,214	\$1,478	\$3,596	call for quote	
	30"x48" (3048)	\$851	\$1,001	\$881	\$1,076	\$851	\$2,756	\$1,338	\$3,090	call for quote	
J	30"x60" (3060)	\$1,038	\$1,125	\$1,083	\$1,192	\$926	\$3,307	\$1,563	\$3,738	call for quote	
	30"x72" (3072)	\$1,080	\$1,620	\$1,162	\$1,822	\$1,113	\$3,862	\$1,788	\$4,387	call for quote	

-	2" Standard Plastic Locking Casters +LC
<b>O</b> 15	Dual wheel locking casters, black (4 per table)
1	2" Soft Rubber Locking Casters +LCS
	More non-slip than our standard 2" locking caster, allowing tables to stay put on polished floors.
	Dual wheel locking casters, black (4 per table)
	2" Premium Locking Casters +PLC
	Premium silver casters are available on tables with Toob and Ingot bases only.
	Dual wheel locking casters, black and silver (4 per table)
<b>→</b> T	Custom Height CH
<b>大</b>	To replace standard "X" baseAdd \$50 list per table (specify table height in inches) To replace standard "T" baseAdd \$100 list per table (specify table height in inches)
•	Ratchet Height Adjustability for Toob "T" Base RH
	Available on our Toob T base only. Simply grab the edge of the table top and lift to raise. Ratchet will click incrementally until it reaches the top, then it will lower back down.
-	Base height (with standard levelers): 23" to 32.5" (9.5" range)
*	To replace standard Toob "T" base
	Asymmetrical (Offset) Base A
1	To replace standard centered "T" base
	Flip-Top Mechanism for Nested Storage "T" Base FFT
	Easy trigger mechanism can be operated from either end of the table! Includes locking casters.
-	To replace standard "T" base
•	Flip-Top Mechanism for "X" Base FFX Includes locking casters.
	To replace standard "X" base (max. table top 36"x36")
	Folding Mechanism for Stacking "T" Base FT
	To replace standard "T" base
-	Note: 48" L table requires short-fold mechanism to allow legs to overlap and lay flat
	**For power & data options and wire management, see pages 112-115.

# Double Column Flip-Top Toob Base Tables (BTF)





# Upgrades and Add-ons

Please Note: These tables will include 2" standard plastic locking casters.




## 2" Soft Rubber Locking Casters +LCS



## 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.

Dual wheel locking casters, black and silver (4 per table) ......Add \$80 list per table



List Pricin	g Size	· <	able took	nish and	idge Type	The linder of the lind of the	CHICA ON THE STATE OF THE STATE	3 Polyder Co	ded Militariii	1 500 Harris	Modellation Commission	AND THE PARTY OF T
	24" Ø <b>(2</b> 4	.400)	Φ034	\$090	Ф049	Φ124	\$675	\$1,598	φοσο	φ1,410	Call for quote	
	`	000)	\$776	\$840	\$818	\$885	\$776	\$2,096	\$1,069		call for quote	
	36" Ø (3	600)	\$1,073	\$1,245	\$1,031	\$1,271	\$949	\$2,693	\$1,339		call for quote	
	42" Ø (4:	200)	\$1,129	\$1,339	\$1,253	\$1,534	\$1,043	\$3,926	\$1,598	\$3,488	call for quote	
	24"x24" (2	424)	\$634	\$690	\$645	\$724	\$675	\$1,598	\$836	\$1,410	call for quote	
	30"x30" (3	030)	\$773	\$840	\$810	\$885	\$776	\$2,096	\$1,069	\$2,014	call for quote	
	36"x36" (3	636)	\$1,069	\$1,245	\$1,024	\$1,271	\$949	\$2,693	\$1,339	\$2,666	call for quote	
	42"x42" (4	242)	\$1,121	\$1,339	\$1,249	\$1,534	\$1,043	\$3,926	\$1,598	\$3,488	call for quote	
	24"x30" (24	430)	\$683	\$758	\$698	\$799	\$731	\$1,943	\$930	\$1,650	call for quote	
	30"x36" (3	036)	\$896	\$998	\$908	\$1,050	\$889	\$2,333	\$1,159	\$2,303	call for quote	
	24"x48" (2	448)	\$911	\$1,035	\$938	\$1,103	\$953	\$2,498	\$1,305	\$2,741	call for quote	
	24"x60" (2	460)	\$1,114	\$1,200	\$1,283	\$1,223	\$1,084	\$2,948	\$1,485	\$3,259	call for quote	
	24"x72" (2	472)	\$1,185	\$1,391	\$1,181	\$1,463	\$1,159	\$3,394	\$1,658	\$3,776	call for quote	
	30"x48" (3	048)	\$1,043	\$1,193	\$1,073	\$1,268	\$1,043	\$2,948	\$1,530	\$3,281	call for quote	
y	30"x60" (3	060)	\$1,230	\$1,316	\$1,275	\$1,384	\$1,118	\$3,499	\$1,755	\$3,930	call for quote	
	30"x72" (3	072)	\$1,271	\$1,811	\$1,354	\$2,014	\$1,305	\$4,054	\$1,980	\$4,579	call for quote	



#### 3" Standard Plastic Locking Casters +3LC

Dual wheel locking casters, black (4 per table)......Add \$100 list per table



## Custom Height CH



#### Asymmetrical (Offset) Base A

To replace standard centered "T" base......Add \$35 list per table



#### Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters.



## Flip-Top Mechanism for "X" Base FFX

Includes locking casters.

To replace standard "X" base (max. table top 36")......Add \$150 list per table




#### Folding Mechanism for Stacking "T" Base FT

Note: 48" L table requires short-fold

mechanism to allow legs to overlap and lay flat......Add additional \$120 list per table





List Pricin	ıg			dge Type	it in the state of	n Bitch of	w	.;.JQ:JQ9]	.;;;;;!,!,!,!,!,!,!,!,!	;;;;;! <b>Q</b> .11	
		able too	inish and	idae Type	of de linder	And	Powder C	Gunde		mad dhide	Agget Lind Lind Lind Lind Lind Lind Lind Lind
	Size 4	135 CV	/ <\x	/ 0</th <th>/ &lt;\</th> <th>/ &lt;</th> <th>% &lt;</th> <th><math>\mathcal{F}</math></th> <th><math>\nearrow</math> <math>\checkmark</math></th> <th><math>\mathcal{F}</math></th> <th>&gt;</th>	/ <\	/ <	% <	$\mathcal{F}$	$\nearrow$ $\checkmark$	$\mathcal{F}$	>
	24" Ø <b>(2400)</b>	\$693	\$750	\$708	\$783	\$735	\$1,657	\$896	\$1,470	call for quote	
	30" Ø (3000)	\$832	\$896	\$874	\$941	\$832	\$2,152	\$1,125	\$2,070	call for quote	
	36" Ø <b>(3600)</b>	\$1,168	\$1,341	\$1,127	\$1,367	\$1,044	\$2,788	\$1,434	\$2,762	call for quote	
	42" Ø (4200)	\$1,252	\$1,462	\$1,376	\$1,657	\$1,166	\$4,050	\$1,721	\$3,611	call for quote	
	48" Ø (4800)	\$1,312	\$1,575	\$1,481	\$1,815	\$1,222	\$5,066	\$2,092	\$4,526	call for quote	
	24"x24" (2424)	\$693	\$750	\$705	\$783	\$735	\$1,657	\$896	\$1,470	call for quote	
	30"x30" (3030)	\$829	\$896	\$866	\$941	\$832	\$2,152	\$1,125	\$2,070	call for quote	
	36"x36" (3636)	\$1,164	\$1,341	\$1,119	\$1,367	\$1,044	\$2,788	\$1,434	\$2,762	call for quote	
	42"x42" (4242)	\$1,245	\$1,462	\$1,372	\$1,657	\$1,166	\$4,050	\$1,721	\$3,611	call for quote	
	24"x30" (2430)	\$773	\$848	\$788	\$889	\$822	\$2,033	\$1,021	\$1,741	call for quote	
	30"x36" (3036)	\$961	\$1,062	\$972	\$1,114	\$953	\$2,397	\$1,223	\$2,367	call for quote	
	24"x48" (2448)	\$986	\$1,110	\$1,012	\$1,177	\$1,027	\$2,572	\$1,380	\$2,816	call for quote	
	24"x60" (2460)	\$1,189	\$1,275	\$1,357	\$1,297	\$1,159	\$3,022	\$1,560	\$3,334	call for quote	
	24"x72" (2472)	\$1,260	\$1,466	\$1,256	\$1,537	\$1,234	\$3,469	\$1,732	\$3,851	call for quote	
	30"x48" (3048)	\$1,125	\$1,275	\$1,155	\$1,350	\$1,125	\$3,030	\$1,613	\$3,364	call for quote	
J.	30"x60" (3060)	\$1,313	\$1,399	\$1,358	\$1,466	\$1,200	\$3,581	\$1,838	\$4,013	call for quote	
	30"x72" (3072)	\$1,354	\$1,894	\$1,436	\$2,096	\$1,388	\$4,136	\$2,063	\$4,661	call for quote	



#### 2" Standard Plastic Locking Casters +LC

Dual wheel locking casters, black (4 per table)......Add \$60 list per table



#### 2" Soft Rubber Locking Casters +LCS

More non-slip than our standard 2" locking caster, allowing tables to stay put on polished floors. 



#### 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.



## Custom Height CH



## Asymmetrical (Offset) Base A



#### Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters.



## Flip-Top Mechanism for "X" Base FFX

Includes locking casters.

To replace standard "X" base (max. table top 36")......Add \$150 list per table




#### Folding Mechanism for Stacking "T" Base FT

To replace standard "T" base ... ...Add \$240 list per table

Note: 48" L table requires short-fold





st Pricin	g	able took		idde Tyde	v -6\	Citt <sup>OT</sup> (V	-90/	-50/	(10)	(1.5.17)	Address of the second s
				idge Type	il. 'ib'ge 46.	ndied of hillider	3 Polyder C	.;lQ.Q3	.::::.	:::::	. dd
			nd	ATTIM Bill	iii ari	odo inde	3 Rounder C	;;;'	.;;'	;;;;,	.;;;;;,
			ish ar	ard Lidii	BID ::::::	Natt.	JOY FIFTH	d MOH	.;;;;;;	-dignited	
		é	IIIIs & Start	de par estay.	iiiiii indlett	iiiiii indlett	;;;;;;; (}	C Intigo :	;;;;;	MOOS CO	Ongo.
		10P	"COUNTY HOLE	" COUST!	100 90 90 90 July .	Klor. 90x	, wdet 9	, <u>4</u>	didition	- aribrio	COA.
		ole o	Malci. V	My William &	0,4900,4	Milit	2 20%	670	13.	20° ,	70 <sup>1</sup> ,X
	Size <	10 VV	/ ¿^	/ 👯	/ ﴿\		<u> </u>	<i>y</i>	<u> </u>	<i>y</i>	Y
	24 & (2400)	ΨΟΤΟ	ΨΟΟΟ	Ψ020	Ψ100	1 604	\$1,574	ΨΟ.Ε	Ψ.,000		
	30" Ø (3000)	\$734	\$798	\$776	\$843	\$734	\$2,054	\$1,027		call for quote	
	36" Ø (3600)	\$1,010	\$1,182	\$969	\$1,209	\$886	\$2,630	\$1,276		call for quote	
	42" Ø (4200)	\$1,108	\$1,318	\$1,232	\$1,513	\$1,022	\$3,906	\$1,577		call for quote	
	48" Ø (4800)	\$1,168	\$1,431	\$1,337	\$1,671	\$1,078	\$4,922	\$1,948	\$4,382	call for quote	
	60" Ø <b>(6000)</b>	\$2,166	\$2,515	\$2,327	\$2,654	N/A	N/A	\$3,306	\$7,075	call for quote	
	24"x24" (2424)	\$610	\$666	\$621	\$700	\$651	\$1,574	\$812	\$1,386	call for quote	
	30"x30" (3030)	\$731	\$798	\$768	\$843	\$734	\$2,054	\$1,027	\$1,972	call for quote	
	36"x36" (3636)	\$1,006	\$1,182	\$961	\$1,209	\$886	\$2,630	\$1,276	\$2,604	call for quote	
	42"x42" (4242)	\$1,101	\$1,318	\$1,228	\$1,513	\$1,022	\$3,906	\$1,577	\$3,467	call for quote	
	48"x48" (4848)	\$1,716	\$1,986	\$1,881	\$2,226	\$1,634	\$5,477	\$2,504	\$4,937	call for quote	
	24"x30" (2430)	\$659	\$734	\$674	\$775	\$707	\$1,919	\$906	\$1,626	call for quote	
	30"x36" (3036)	\$854	\$956	\$866	\$1,008	\$847	\$2,291	\$1,117	\$2,261	call for quote	
	24"x48" (2448)	\$731	\$855	\$758	\$923	\$773	\$2,318	\$1,125	\$2,561	call for quote	
	24"x60" (2460)	\$934	\$1,020	\$1,103	\$1,043	\$904	\$2,768	\$1,305	\$3,079	call for quote	
	24"x72" (2472)	\$1,005	\$1,211	\$1,001	\$1,283	\$979	\$3,214	\$1,478	\$3,596	call for quote	
	30"x48" (3048)	\$848	\$998	\$878	\$1,073	\$848	\$2,753	\$1,335	\$3,086	call for quote	
y	30"x60" (3060)	\$1,035	\$1,121	\$1,080	\$1,189	\$923	\$3,304	\$1,560	\$3,735	call for quote	
	30"x72" (3072)	\$1,076	\$1,616	\$1,159	\$1,819	\$1,110	\$3,859	\$1,785	\$4.384	call for quote	



#### 2" Standard Plastic Locking Casters +LC

Dual wheel locking casters, black (4 per table)......Add \$60 list per table



#### 2" Soft Rubber Locking Casters +LCS



#### 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.

Dual wheel locking casters, black and silver (4 per table) ......Add \$80 list per table



## Custom Height CH



#### Flip-Top Mechanism for Nested Storage "T" Base FFT



#### Flip-Top Mechanism for "X" Base FFX

Includes locking casters.



## Folding Mechanism for Stacking "T" Base FT


Note: 48" L table requires short-fold

mechanism to allow legs to overlap and lay flat......Add additional \$120 list per table



\*\*For power & data options and wire management, see pages 112-115.

# Double Column Flip-Top Arch Base Tables (BAF)





# Upgrades and Add-ons

Please Note: These tables will include 2" standard plastic locking casters.




## 2" Soft Rubber Locking Casters +LCS



## 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.

Dual wheel locking casters, black and silver (4 per table) ......Add \$80 list per table



List Prici	ng	able too	inish and hinish adding the control of the control	idge Type	and later of the linder of the	odo Inderi	The state of the s	ded Militaria	. collette	mod latice	Agget 1919
	Size A	apis (2)	Mach	, My CO	//	Mile C	3) (	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	? \	
	24" Ø (2400)	\$540	\$596	\$555	\$630	\$581	\$1,504	\$742	\$1,316	call for quote	
	30" Ø (3000)	\$659	\$723	\$701	\$768	\$659	\$1,979	\$952	\$1,897	call for quote	
	36" Ø (3600)	\$933	\$1,106	\$892	\$1,132	\$809	\$2,553	\$1,199	\$2,527	call for quote	
	42" Ø (4200)	\$1,063	\$1,273	\$1,187	\$1,468	\$977	\$3,860	\$1,532	\$3,422	call for quote	
	48" Ø (4800)	\$1,141	\$1,403	\$1,309	\$1,643	\$1,051	\$4,894	\$1,921	\$4,354	call for quote	
	24"x24" (2424)	\$540	\$596	\$551	\$630	\$581	\$1,504	\$742	\$1,316	call for quote	
	30"x30" (3030)	\$656	\$723	\$693	\$768	\$659	\$1,979	\$952	\$1,897	call for quote	
	36"x36" (3636)	\$929	\$1,106	\$884	\$1,132	\$809	\$2,553	\$1,199	\$2,527	call for quote	
	42"x42" (4242)	\$1,055	\$1,273	\$1,183	\$1,468	\$977	\$3,860	\$1,532	\$3,422	call for quote	
	24"x30" (2430)	\$589	\$664	\$604	\$705	\$637	\$1,849	\$836	\$1,556	call for quote	
	30"x36" (3036)	\$779	\$881	\$791	\$933	\$772	\$2,216	\$1,042	\$2,186	call for quote	
	24"x48" (2448)	\$789	\$912	\$815	\$980	\$830	\$2,375	\$1,182	\$2,619	call for quote	
	24"x60" (2460)	\$991	\$1,077	\$1,160	\$1,100	\$961	\$2,825	\$1,362	\$3,136	call for quote	
	24"x72" (2472)	\$1,062	\$1,269	\$1,059	\$1,340	\$1,036	\$3,271	\$1,535	\$3,654	call for quote	
b	30"x48" (3048)	\$911	\$1,061	\$941	\$1,136	\$911	\$2,816	\$1,399	\$3,150	call for quote	
	30"x60" (3060)	\$1,099	\$1,185	\$1,144	\$1,253	\$986	\$3,368	\$1,624	\$3,799	call for quote	
	30"x72" (3072)	\$1,140	\$1,680	\$1,223	\$1,883	\$1,174	\$3,923	\$1,849	\$4,448	call for quote	



#### 2" Standard Plastic Locking Casters +LC

Dual wheel locking casters, black (4 per table)......Add \$60 list per table



## 2" Soft Rubber Locking Casters +LCS



#### 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.



## Custom Height CH



# Asymmetrical (Offset) Base A



#### Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters.




#### Flip-Top Mechanism for "X" Base FFX

Includes locking casters.

To replace standard "X" base (max. table top 36")......Add \$150 list per table



\*\*For power & data options and wire management, see pages 112-115.



List Pricir	ng		×	idge Tylge	it 19.00	n Birch John John John John John John John Joh	, i.i.i.l.d8	,;;;;ld,ld) .	,	,;;;;;l,Q,1,1)/	\$\$\frac{1}{2}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}\text{\$\frac{1}{2}\text{\$\frac{1}\$\frac{1
	0:	able too	inish and	idde Type	orto lindan	ndid of hilldy	2 Sounds C	Signature	1 9dd Had	mod Budde	Agget Lind and Lind a
	Size 4 24" Ø (2400)	\$576	\$632	\$591	\$666	\$617	\$1,539	\$778	Φ1 2E2	call for quote	
	30" Ø (3000)	\$707	\$770	\$748	\$815	\$707	\$2,027	\$999		call for quote	
	36" Ø (3600)	\$993	\$1,166	\$952	\$1,192	\$870	\$2,613	\$1,260		call for quote	
	42" Ø (4200)	\$1,050	\$1,260	\$1,173	\$1,455	\$963	\$3,847	\$1,518		call for quote	
	48" Ø (4800)	\$1,124	\$1,387	\$1,293	\$1,627	\$1,034	\$4,878	\$1,904	. ,	call for quote	
	24"x24" (2424)	\$576	\$632	\$587	\$666	\$617	\$1,539	\$778	\$1,352	call for quote	
	30"x30" (3030)	\$703	\$770	\$740	\$815	\$707	\$2,027	\$999	\$1,944	call for quote	
	36"x36" (3636)	\$990	\$1,166	\$945	\$1,192	\$870	\$2,613	\$1,260	\$2,587	call for quote	
	42"x42" (4242)	\$1,042	\$1,260	\$1,170	\$1,455	\$963	\$3,847	\$1,518	\$3,408	call for quote	
	24"x30" (2430)	\$624	\$699	\$639	\$741	\$673	\$1,884	\$872	\$1,592	call for quote	
	30"x36" (3036)	\$827	\$928	\$838	\$980	\$819	\$2,263	\$1,089	\$2,233	call for quote	
	24"x48" (2448)	\$702	\$826	\$728	\$893	\$743	\$2,288	\$1,096	\$2,532	call for quote	
	24"x60" (2460)	\$904	\$991	\$1,073	\$1,013	\$874	\$2,738	\$1,276	\$3,049	call for quote	
	24"x72" (2472)	\$976	\$1,182	\$972	\$1,253	\$949	\$3,184	\$1,448	\$3,567	call for quote	
	30"x48" (3048)	\$835	\$985	\$865	\$1,060	\$835	\$2,740	\$1,322	\$3,073	call for quote	
	30"x60" (3060)	\$1,022	\$1,108	\$1,067	\$1,176	\$910	\$3,291	\$1,547	\$3,722	call for quote	
	30"x72" (3072)	\$1,063	\$1,603	\$1,146	\$1,806	\$1,097	\$3,846	\$1,772	\$4,371	call for quote	



#### 2" Standard Plastic Locking Casters +LC

Dual wheel locking casters, black (4 per table)......Add \$60 list per table



## 2" Soft Rubber Locking Casters +LCS

More non-slip than our standard 2" locking caster, allowing tables to stay put on polished floors. 



#### 2" Premium Locking Casters +PLC

Premium silver casters are available on tables with Toob and Ingot bases only.



# **Custom Height CH**

To replace standard "X" base ......Add \$50 list per table (specify table height in inches) To replace standard "T" base ......Add \$100 list per table (specify table height in inches)



## Asymmetrical (Offset) Base A



## Flip-Top Mechanism for Nested Storage "T" Base FFT

Easy trigger mechanism can be operated from either end of the table! Includes locking casters. 




#### Flip-Top Mechanism for "X" Base FFX

Includes locking casters.

To replace standard "X" base (max. table top 36")......Add \$150 list per table



# Slim Round Base Tables (BSD)



List Pricin	g Size	Table Took	ilish and	idge Tyle	ar Jodd Jaria e con a second de la constanta d	ndiddd dd d	Soluted Constitution of the Constitution of th	died high		day od legický	Aggranting and the state of the
	24" Ø <b>(2400</b> )	\$646	\$702	\$661	\$736	\$687	\$1,610	\$848	\$1,422	call for quote	
	30" Ø (3000)	\$762	\$826	\$803	\$871	\$762	\$2,082	\$1,055	\$2,000	call for quote	
	36" Ø <b>(3600</b> )	\$1,036	\$1,208	\$995	\$1,235	\$912	\$2,656	\$1,302	\$2,630	call for quote	
	42" Ø <b>(4200</b> )	\$1,125	\$1,335	\$1,249	\$1,530	\$1,039	\$3,922	\$1,594	\$3,484	call for quote	
	48" Ø <b>(4800</b> )	\$1,293	\$1,555	\$1,461	\$1,795	\$1,203	\$5,046	\$2,073	\$4,506	call for quote	
	24"x24" <b>(2424</b> )	\$646	\$702	\$657	\$736	\$687	\$1,610	\$848	\$1,422	call for quote	
	30"x30" (3030)	\$758	\$826	\$796	\$871	\$762	\$2,082	\$1,055	\$2,000	call for quote	
	36"x36" (3636)	\$1,032	\$1,208	\$987	\$1,235	\$912	\$2,656	\$1,302	\$2,630	call for quote	
	42"x42" (4242)	\$1,117	\$1,335	\$1,245	\$1,530	\$1,039	\$3,922	\$1,594	\$3,484	call for quote	
	24"x30" (2430)	\$695	\$770	\$710	\$811	\$743	\$1,955	\$942	\$1,662	call for quote	
4	30"x36" (3036)	\$882	\$983	\$893	\$1,036	\$875	\$2,318	\$1,145	\$2,288	call for quote	

# Upgrades and Add-ons



## **Custom Height CH**

To replace standard disk base......Add \$50 list per table (specify table height in inches)




# Bar Height with Foot Ring @ 40.75"h BAR-FR

40.75"h disk base with foot ring to replace standard disk base 24"-30" tables have 14" dia. foot ring. 36"-48" tables have 19" dia. foot ring. .........Add \$150 list per table



\*\*For power & data options and wire management, see pages 112-115.

# Slim Square Base Tables (BSS)



1	₋ist Pricin	g Size	iable Took	itiah andi	idge Type	ad Linder	THE TOTAL THE	B 20mba	John Haring	71 3 dd 1 dd	mod But a	Agg Light of the state of the s
1		24" Ø (2400)	\$646	\$702	\$661	\$736	\$687	\$1,610	\$848	\$1,422	call for quote	
1		30" Ø (3000)	\$762	\$826	\$803	\$871	\$762	\$2,082	\$1,055	\$2,000	call for quote	
1		36" Ø (3600)	\$1,036	\$1,208	\$995	\$1,235	\$912	\$2,656	\$1,302	\$2,630	call for quote	
1		42" Ø (4200)	\$1,125	\$1,335	\$1,249	\$1,530	\$1,039	\$3,922	\$1,594	\$3,484	call for quote	
		48" Ø (4800)	\$1,293	\$1,555	\$1,461	\$1,795	\$1,203	\$5,046	\$2,073	\$4,506	call for quote	
1		24"x24" (2424)	\$646	\$702	\$657	\$736	\$687	\$1,610	\$848	\$1,422	call for quote	
1		30"x30" (3030)	\$758	\$826	\$796	\$871	\$762	\$2,082	\$1,055	\$2,000	call for quote	
1		36"x36" (3636)	\$1,032	\$1,208	\$987	\$1,235	\$912	\$2,656	\$1,302	\$2,630	call for quote	
		42"x42" (4242)	\$1,117	\$1,335	\$1,245	\$1,530	\$1,039	\$3,922	\$1,594	\$3,484	call for quote	
		24"x30" (2430)	\$695	\$770	\$710	\$811	\$743	\$1,955	\$942	\$1,662	call for quote	
1	<u></u>	30"x36" (3036)	\$882	\$983	\$893	\$1036	\$875	\$2,318	\$1,145	\$2,288	call for quote	

# Upgrades and Add-ons




## Custom Height CH

To replace standard disk base......Add \$50 list per table (specify table height in inches)



# Slim Squircle Base Tables (BSQ)



List Pricing  Size Table To A Market Ball Laborated												
	Size	Table to D	inish and	Edde Sand	ar Jode Liden	ndigoth	3 Powder	Signaturi (	1 5 3 dd Ha	dand date day	Age Lind Lind Lind Lind Lind Lind Lind Lind	
	24" Ø (240	0) \$646	\$702	\$661	\$736	\$687	\$1,610	\$848	\$1,422	call for quote		
	30" Ø (300 36" Ø (360		\$826 \$1,208	\$803 \$995	\$871 \$1,235	\$762 \$912	\$2,082 \$2,656	\$1,055 \$1,302		call for quote		
	42" Ø (420			\$1,249	\$1,530	\$1,039	\$3,922	\$1,594	. ,	call for quote		
	48" Ø (480		\$1,555	\$1,461	\$1,795	\$1,203	\$5,046	\$2,073		call for quote		
	24"x24" (242	4) \$646	\$702	\$657	\$736	\$687	\$1,610	\$848	\$1,422	call for quote		
	30"x30" (300	0) \$758	\$826	\$796	\$871	\$762	\$2,082	\$1,055	\$2,000	call for quote		
	36"x36" (360	<b>6)</b> \$1,032	\$1,208	\$987	\$1,235	\$912	\$2,656	\$1,302	\$2,630	call for quote		
	42"x42" <b>(42</b> 4	<b>2)</b> \$1,117	\$1,335	\$1,245	\$1,530	\$1,039	\$3,922	\$1,594	\$3,484	call for quote		
	24"x30" <b>(24</b> 0	0) \$695	\$770	\$710	\$811	\$743	\$1,955	\$942	\$1,662	call for quote		
	30"x36" (300	<b>6)</b> \$882	\$983	\$893	\$1,036	\$875	\$2,318	\$1,145	\$2,288	call for quote		

# Upgrades and Add-ons



## **Custom Height CH**

To replace standard disk base......Add \$50 list per table (specify table height in inches)




# Bar Height with Foot Ring @ 40.75"h BAR-FR

40.75"h disk base with foot ring to replace standard disk base 24"-30" tables have 14" dia. foot ring. 36"-48" tables have 19" dia. foot ring. ..........Add \$150 list per table



# Stainless Steel Square Base Tables (BST)



	List Pricin	g Size <sup>4</sup>	able took	iliah ard	idge Type	of deladed	ndied di	B Polyder C	ded Mot	71 5dd Hd	died Galding	Add think the state of the stat
		24" Ø (2400)	\$739	\$795	\$754	\$829	\$780	\$1,703	\$941	\$1,515	call for quote	
		30" Ø (3000)	\$855	\$919	\$896	\$964	\$855	\$2,175	\$1,148	\$2,093	call for quote	
		36" Ø (3600)	\$1,129	\$1,301	\$1,088	\$1,328	\$1,005	\$2,749	\$1,395	\$2,723	call for quote	
		42" Ø (4200)	\$1,185	\$1,395	\$1,309	\$1,590	\$1,099	\$3,983	\$1,654	\$3,544	call for quote	
		48" Ø (4800)	\$1,367	\$1,630	\$1,536	\$1,870	\$1,277	\$5,121	\$2,950	\$6,719	call for quote	
		24"x24" (2424)	\$739	\$795	\$750	\$829	\$780	\$1,703	\$941	\$1,515	call for quote	
		30"x30" (3030)	\$851	\$919	\$889	\$964	\$855	\$2,175	\$1,148	\$2,093	call for quote	
		36"x36" (3636)	\$1,125	\$1,301	\$1,080	\$1,328	\$1,005	\$2,749	\$1,395	\$2,723	call for quote	
		42"x42" (4242)	\$1,178	\$1,395	\$1,305	\$1,590	\$1,099	\$3,983	\$1,654	\$3,544	call for quote	
		24"x30" <b>(2430)</b>	\$788	\$863	\$803	\$904	\$836	\$2,048	\$1,035	\$1,755	call for quote	
		30"x36" (3036)	\$975	\$1,076	\$986	\$1,129	\$968	\$2,411	\$1,238	\$2,381	call for quote	

# Upgrades and Add-ons



## Bar Height @ 40.5"h BAR



# Bar Height with Foot Ring @ 40.5"h BAR-FR

40.5"h disk base with 19" dia. foot ring to replace standard disk base......Add \$215 list per table

# Floor Mounted Base Tables (BFM)





# Upgrades and Add-ons




## **Custom Height CH**

To replace standard floor mounted base .......Add \$50 list per table (specify table height in inches)



# Heavy Round Base Tables (BHR)



List Pricin	g Size	able took	iniah and	idae Tyle	and James of Linder	Take di	Bedydd (	John Charles	1 - 3 dd 148	died date of the control of the cont	Add Jan
	24" Ø <b>(2400)</b>	\$775	\$831	\$790	\$865	\$816	\$1,739	\$977	\$1,551	call for quote	
	30" Ø (3000)	\$891	\$955	\$932	\$1,000	\$891	\$2,211	\$1,184	\$2,129	call for quote	
	36" Ø <b>(3600)</b>	\$1,165	\$1,337	\$1,124	\$1,364	\$1,041	\$2,785	\$1,431	\$2,759	call for quote	
	42" Ø (4200)	\$1,265	\$1,475	\$1,389	\$1,670	\$1,179	\$4,063	\$1,734	\$3,624	call for quote	
	48" Ø (4800)	\$1,466	\$1,728	\$1,634	\$1,968	\$1,376	\$5,219	\$2,246	\$4,679	call for quote	
	24"x24" (2424)	\$775	\$831	\$786	\$865	\$816	\$1,739	\$977	\$1,551	call for quote	
	30"x30" (3030)	\$887	\$955	\$925	\$1,000	\$891	\$2,211	\$1,184	\$2,129	call for quote	
	36"x36" (3636)	\$1,161	\$1,337	\$1,116	\$1,364	\$1,041	\$2,785	\$1,431	\$2,759	call for quote	
	42"x42" (4242)	\$1,258	\$1,475	\$1,385	\$1,670	\$1,179	\$4,063	\$1,734	\$3,624	call for quote	
	48"x48" (4848)	\$1,458	\$1,728	\$1,623	\$1,968	\$1,376	\$5,219	\$2,246	\$4,679	call for quote	
	24"x30" (2430)	\$824	\$899	\$839	\$940	\$872	\$2,084	\$1,071	\$1,791	call for quote	
5	30"x36" (3036)	\$1,011	\$1,112	\$1,022	\$1,165	\$1,004	\$2,447	\$1,274	\$2,417	call for quote	

# Upgrades and Add-ons



## **Custom Height CH**

To replace standard disk base......Add \$50 list per table (specify table height in inches)




# Bar Height with Foot Ring @ 40.75"h BAR-FR

40.75"h disk base with foot ring to replace standard disk base 24"-30" tables have 14" dia. foot ring. 36"-48" tables have 19" dia. foot ring. .........Add \$150 list per table



# Trumpet Base Tables (BR)



	List Pricin	g Size	4	able Top Fi	riish and	idde Tyle	ad Lideld (	Talica III	Polyda d	ded Marke	71 3 dd 18	Model Budget	Agget Lind Lind Lind Lind Lind Lind Lind Lind
1		24" Ø (2	400)	\$675	\$732	\$690	\$765	\$717	\$1,639	\$878		call for quote	
		30" Ø <b>(3</b>	(000	\$792	\$855	\$833	\$900	\$792	\$2,112	\$1,084	\$2,029	call for quote	
	4	36" Ø <b>(3</b>	600)	\$1,065	\$1,238	\$1,024	\$1,264	\$942	\$2,685	\$1,332	\$2,659	call for quote	
		42" Ø <b>(4</b>	200)	\$1,162	\$1,372	\$1,286	\$1,567	\$1,076	\$3,960	\$1,631	\$3,521	call for quote	
		24"x24" (2	424)	\$675	\$732	\$687	\$765	\$717	\$1,639	\$878	\$1,452	call for quote	
		30"x30" <b>(3</b>	030)	\$788	\$855	\$825	\$900	\$792	\$2,112	\$1,084	\$2,029	call for quote	
		36"x36" (3	636)	\$1,062	\$1,238	\$1,017	\$1,264	\$942	\$2,685	\$1,332	\$2,659	call for quote	
1		42"x42" <b>(4</b>	242)	\$1,155	\$1,372	\$1,282	\$1,567	\$1,076	\$3,960	\$1,631	\$3,521	call for quote	
		24"x30" (2	430)	\$724	\$799	\$739	\$840	\$773	\$1,984	\$972	\$1,692	call for quote	
		30"x36" ( <mark>3</mark>	036)	\$912	\$1,013	\$923	\$1,065	\$904	\$2,348	\$1,174	\$2,318	call for quote	

# Upgrades and Add-ons



## **Custom Height CH**

To replace standard disk base......Add \$50 list per table (specify table height in inches)




# Bar Height with Foot Ring @ 40.75"h BAR-FR

40.75"h disk base with foot ring to replace standard disk base 24"-30" tables have 14" dia. foot ring. 36"-48" tables have 19" dia. foot ring. ..........Add \$150 list per table



# Picture Frame Base Tables (BPF)



List Pri	icin	g Size	able Took	inish and	idge Type	of delay and a second	do Indenti	B Rolling C	add high in the state of the st	and desired	Add land and his l
		18"x48" (1848)	\$854	\$955	\$854	\$989	\$854	\$1,064	\$2,159	call for quote	
		18"x60" (1860)	\$933	\$1,060	\$933	\$1,101	\$933	\$1,191	\$2,564	call for quote	
		18"x72" (1872)	\$1,011	\$1,165	\$1,011	\$1,214	\$1,011	\$1,323	\$2,969	call for quote	
		22"x48" (2248)	\$945	\$1,069	\$945	\$1,110	\$945	\$1,200	\$2,539	call for quote	
	$\mathbf{T}$	22"x60" (2260)	\$1,039	\$1,196	\$1,039	\$1,245	\$1,039	\$1,357	\$3,034	call for quote	
		22"x72" (2272)	\$1,136	\$1,324	\$1,136	\$1,384	\$1,136	\$1,519	\$3,529	call for quote	
		28"x48" (2848)	\$1,073	\$1,230	\$1,073	\$1,283	\$1,073	\$1,395	\$3,101	call for quote	
		28"x60" (2860)	\$1,193	\$1,391	\$1,193	\$1,455	\$1,193	\$1,598	\$3,731	call for quote	
		28"x72" (2872)	\$1,316	\$1,553	\$1,316	\$1,631	\$1,316	\$1,804	\$4,361	call for quote	
		28"x84" (2884)	\$1,440	\$1,714	\$1,440	\$1,808	\$1,440	\$2,006	\$4,991	call for quote	
		28"x90" (2890)	\$1,500	\$1,796	\$1,500	\$1,894	\$1,500	\$2,108	\$5,306	call for quote	

# Upgrades and Add-ons



# Custom Height CH


To replace standard base ....... Add \$110 list per table (specify table ht. in inches; max. ht. for base=40.375")



\*\*For power & data options and wire management, see pages 112-115.


www.baltix.com

# Angled Base Tables (BAC)






# Sizes and Leg Configurations




48" Diameter with 3 Legs 4800









42" x 60" with Splayed Legs 4260\$



# Ornate Base Tables (BO)

# Part # Assessment size material edge profile (this cast iron base only offered in Black Wrinkle (BW) see p.23) ST - 2400 - F2 (D427/W) - E2 - B0 (BW) product type (ST-Standard Table see p.116 for ordering pedge band pedge band see p.116 for ordering profile (ST-Standard Table see p.116 for ordering pedge band color

table tops alone)

# Cantilevered Base Tables (BC)





options)

(if applicable)

base style



Collaboration Tables

# Collaboration Base Styles






Parsons Base (BPRC) p.75



# A-Frame Base Tables (BAFC)






Please Note: Base height is only offered at 38.5"h.



# Picture Frame Base Tables (BPFC)

# Part # Assessment Size material edge base color color profile (see p.22 for steel base color options) COL - 2872 - F2 (D427/W) - E2 - BPFC (S) table top material (see edge band product type (COL=Collaboration Table) product type points) (ignorable) base style

## Parsons Base Tables (BPRC)





Please Note: Base height is 40.375"h.




\*\*For power & data options and wire management, see pages 112-115.



Please Note: Base style offered at 27.75"h or 40.375"h. For 27.75"h table, subtract 10% from list pricing.



# H-Frame Base Tables (BHC)





Please Note: Base style offered at 27.75"h or 40.375"h. For 27.75"h table, subtract 10% from list pricing.



\*\*For power & data options and wire management, see pages 112-115.



Occasional Tables

# Occasional Base Styles












Picture Frame Base (BPFCO)












#### Part # Assessment



# Laptop Base Tables (BLT)








Please Note: This occasional base style is offered at 25.25"h.

# Picture Frame Base Tables (BPFCO)





Please Note: This occasional base style is offered at 14"h.




\*\*For power & data options and wire management, see pages 112-115.


Conference Tables

# Conference Table Base Styles



## Toob Base Tables (BTT)





Please Note: Standard table height is 29". 96" tables have two bases; 120" and 144" tables have three bases.


www.baltix.com



# Ingot Base Tables (BII)



## Arch Base Tables (BAA)



List Pricing			Size Á	Pop Finish	FA W.	Months Sandardam Color	FOO THOUSTHINGS	Mallow Linoeum on Birgh	The second secon	18 Carrier Carrier 18	45. C. A. C.	
			48"x96" <b>(4896)</b>	\$3,479	\$3,599	\$3,599	\$3,959	\$5,399	\$9,479	call for quote		
			48"x120" (48120)	\$4,486	\$4,636	\$4,636	\$5,086	\$6,886	\$11,986	call for quote		
rectangle (R)	racetrack (T)	convex (C)	48"x144" (48144)	\$5,056	\$5,236	\$5,236	\$5,776	\$7,936	\$14,056	call for quote		
<			48"x96" <b>(4896)</b>	\$3,839	\$3,959	\$3,959	\$4,319	\$5,759	\$9,839	call for quote		
			48"x120" (48120)	\$4,936	\$5,086	\$5,086	\$5,536	\$7,336	\$12,436	call for quote		
	hoat (R)		54"x144" (54144)	\$6,091	\$6,294	\$6,294	\$6,901	\$9,331	\$16,216	call for		

\*\*For power & data options and wire management, see pages 112-115.

Please Note: Standard table height is 29". 96" tables have two bases; 120" and 144" tables have three bases.




**List Pricing** 

/ST				
	**=====================================	0 -	 	al


\*\*For power & data options and wire management, see pages 112-115.


90

## XL Angled Base Tables (BAX)



## Drum Base Tables (BDR)





Please Note: Standard table height is 29". 96" tables have four bases; 120" and 144" tables have six bases.



**List Pricing** 

\*\*For power & data opt

Please Note: Standard table height is 29". 96" and 120" tables have two bases; 144" tables have three ba	ases.
--	-------

\*\*For power & data options and wire management, see pages 112-115.


48"x120" (48120) \$9,616 \$9,766 \$9,766 \$10,216 \$12,016 \$17,116 call for quote


54"x144" (54144) \$11,221 \$11,423 \$11,423 \$12,031 \$14,461 \$21,346 call for quote

48"x144" (48144) \$10,186 \$10,366 \$10,366 \$10,906 \$13,066 \$19,186

## Mono Base Tables (BF)









<u>Please Note:</u> Standard table height is 29". 120" and 144" tables have two bases; 168"-240" tables have three bases; 264" and 288" tables have four bases.

#### Part # Assessment





Greenlites<sup>TM</sup> Lightweight Tables



Greenlites<sup>™</sup> Lightweight Tables

#### How do we make them so light?

By swapping our usual green particle board table top substrate with an ultra light honeycomb material and by trading our typical steel bases for aluminum ones, we have managed to take up to half the weight out of our tables. The honeycomb core is made from recycled kraft paper and is bordered with a green MDF made from recycled wood fiber. The aluminum bases are durable, recyclable, and freight-friendly due to their light weight. We cover the substrate with Wilsonart® standard laminate and Wilsonart® matching edgeband.

#### What's the advantage to a lighter table?

Mobility! Many times it is a requrement that a table needs to flip, fold, nest, stack, or roll. These modular tables are simply easier to move around when they weigh less. Greenlites are the ultimate back saver!




#### Wilsonart Laminate Design Sampling (3 mm edgeband to match Wilsonart standard colors and designs.)



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge. Hundreds of additional laminate colors and designs are available. Baltix also works with laminates from Formica, Nevimar, and Pionite.


#### Aluminum Base Color Selection (powder coat)





	Size	Table Weight (lbs.)	List Price
	20"x60" (2460)	40	\$1,556
	20"x72" (2472)	43	\$1,636
	24"x60" (2460)	43	\$1,604
Rectangular Flip-Top Nesting (N)*	24"x72" (2472)	48	\$1,692
	30"x60" (3060)	49	\$1,636 \$1,604 \$1,692 \$1,784 \$1,892 \$1,380 \$1,460 \$1,424
	30"x72" (3072)	52	\$1,892
	20"x60" (2460)	40	Price \$1,556 \$1,636 \$1,604 \$1,692 \$1,784 \$1,892 \$1,380 \$1,460
	20"x72" (2472)	43	\$1,460
	24"x60" (2460)	43	Price \$1,556 \$1,636 \$1,604 \$1,692 \$1,784 \$1,892 \$1,380 \$1,460 \$1,424 \$1,512 \$1,608
Rectangular Folding (F)**	24"x72" (2472)	48	
_	30"x60" (3060)	49	
	30"x72" (3072)	52	\$1,716

#### **Edge Profile**




#### Part # Assessment



#### Please Note:

- \* Nesting tables come standard with 2" premium locking casters.
- \*\* Folding tables come standard with levelers. 2" premium locking casters can be substituted for an upcharge of \$100 list per table.

Adjustable Height Tables






## Premium Foot for Height Adjustable Bases +P

#### Part # Assessment (height adjustable edge profile material color ADJCX, ADJM. (if applicable) ADJL may be ST - 3000 - F2 (D427/W) - E2 - ADJR (B) + P premium) foot optional table top base color material (see edge band upgrade adds (see p.22 for +P to end of product type p.06-19 for color (if steel base color (**ST**=Standard Table) options) applicable) options)







Lecterns

## Lecterns



#### Standard Lectern LECS

Two shelves, fixed height, 4 outlet electrical power strip base mounted (optional), 2" casters on one side for wheelbarrow-style rolling. Wilsonart front panel available in 18 standard colors (see next page). 20"d x 29"w x 44"h



## Premium Lectern LECP

Storage box with locking door, pull out shelf, top mounted power/data sphere, 2" casters on one side for wheelbarrow-style rolling. Willsonart lectern body available in 18 standard colors (see next page). 24"d x 29"w (with side shelf: 40"w) x 46"h

## Finish Options

#### Wilsonart Laminate Design Sampling (edgebanding to match)



Please Note: Baltix standard Wilsonart laminate finishes are 38 or 60. Non-standard Wilsonart finishes require an upcharge.

#### Steel Frame Color Selection (powder coat)





106 info@baltix.com www.baltix.com www.baltix.com 107



Filing & Storage Units

## Filing & Storage Units

BS bar pull (aluminum finish)

**Drawer Pull Options** 

#### **Powder Coat Colors**




#### Lock



#### Part # Assessment

S full pull





## Freestanding Pedestal File (Box/Box/File) PFS-BBF

Solid top and counterweight included. 22"d x 15"w x 27-1/2"h (example: PFS27h22d-BBF-S-AR-UM).... . \$495 list each



#### Freestanding Pedestal File (File/File) PFS-FF

Solid top and counterweight included. 22"d x 15"w x 27-1/2"h (example: PFS27h22d-FF-S-AR-UM)... .. \$460 list each



#### Mobile Pedestal File (Box/Box/File) PMB-BBF

Includes 4 black plastic casters - 2 locking, 2 non-locking. Solid top and counterweight included. Fits under most standard-height desks. 15"w x 27-5/16"h

18" deep (example: PMB27h18d-BBF-S-AR-UM)	. \$498 list each
22" deep (example: PMB27h22d-BBF-S-AR-UM)	. \$543 list each



## Mobile Pedestal File (File/File) PMB-FF


Includes 4 black plastic casters - 2 locking, 2 non-locking. Solid top and counterweight included. Fits under most standard-height desks. 15"w x 27-5/16"h

18" deep (example: PMB27h18d-FF-S-AR-UM)	
22" deep (example: PMB27h22d-FF-S-AR-UM)	



#### Cushion Top Mobile Pedestal File (Box/File) PCM-BF

Includes 4 black plastic casters - 2 locking, 2 non-locking. Counterweight included. 15"w x 24-1/8"h 18" deep (example: PCM24h18d-BF-S-AR-NH333-UM) 22" deep (example: PCM24h22d-BF-S-AR-NH333-UM)..... .. \$596 list each





#### 2-High Lateral File **OLF02h**

Safety interlock system allows only one drawer to be opened at a time. 18"d  $\times$  36"w  $\times$  27- $\frac{1}{2}$ "h (example: OLF02h36w-S-AR-UM) \$735 list each



#### 3-High Lateral File OLF03h

Safety interlock system allows only one drawer to be opened at a time. List pricing includes counter weight to prevent tipping. 18"d x 36"w x 39-1/2"h

(example: OLF03h36w-S-AR-UM) .....



## 2 Shelf Bookcase with Square Legs **OPSQ-BK**

Includes four square legs (shipped detatched). One height-adjustable shelf. 17-1/8"d x 30"w x 23"h (example: OPSQ-BK30w-AR)



#### 2 Shelf Bookcase with Levelers **BKC02h**

Includes leveling glides with 3/4" adjustability. One height-adjustable shelf. 14"d x 30"w x 27 1/2""h (example: BKC02h30w-AR) \$575 list each



## 4-High Wardrobe-Cupboard Tower WCT04h-LFT-FF

Includes 3 locks (keyed alike), coat closet wardrobe (left side), one adjustable cupboard shelf, and file/file pedestal. List pricing includes counter weight to prevent tipping. 24"d x 24"w x 51-1/2"h (example: WCT04h-LFT-FF-S-AR-UM)

## Optional Power/Data Unit Add-ons



#### +M2X

Sits flat within the work surface for a high end finish, simply press on either side and it will pop up for use. Contains recycled content that can contribute toward LEED points.

Configuration Options: • 2 Power/2 USB • 2 Power/2 Open Data (shown) • 4 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black Annodized Aluminum • Silver Annodized Aluminum (shown) ....... \$1,051 list each



#### **+E2X**

With two power outlets and two single data ports on each side\*. Sits flat within the work surface for a high end finish. Lift lid for access: lid can be closed while cords are plugged in for a flush top.

Configuration Options: • 3 Power/3 Open Data (shown) • 2 Power/2 Open Data • 3 Power/1 Extron Adapter Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)



This simple, smart design keeps cable clutter out of sight by allowing use while the lid is shut.

Configuration Options: • 2 Power/1 USB/1 Cat 6 (shown) • 2 Power/2 Open Data • 3 Power/1 Extron Adapter Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)



#### +ElloraQI

Here, users can walk up and connect - whether they're plugging in a laptop, iPhone, or tablet. Or maybe they're not plugging in at all - using Qi compatible charging on the lid instead.

Configuration Options: • 2 Power/2 USB/3 Qi Coils • 3 Power/1 USB/3 Qi Coils (shown)

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Matte Black • Matte White (shown) ... \$694 list each



#### +Nacre

Stylish Nacre pops up to reveal a dynamic range of power, data and USB configurations.

Configuration Options: • 2 Power/2 USB • 3 Power/1 USB (shown) • 4 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: 

Black

White (shown).... ... \$335 list each



#### +Nacre2Port

All the style of Nacre in a compact, two port size.

Configuration Options: • 1 Power/1 USB (shown) • 1 Power/1 USB A+C • 2 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black • White (shown)..... ... \$234 list each



#### +DEAN

Low profile and smooth, easy-to-clean surface doesn't pull attention away from other workplace elements.

Configuration Options: • 2 Power/1 USB (shown) • 2 Power • 3 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black (shown) • White..... ... \$257 list each



#### +GARCIA

Low-profile, low-voltage Garcia mounts under your surface.

Configuration Options: • 2 USB (shown)

Cord Lengths: • 60" Power Supply Cord

Color Options: • Black (shown) • White.... ... \$155 list each



#### +MINI

Two outlets that can be mounted near the edge of the worksurface without cutting into it.

Configuration Options: • 2 USB (shown)

Cord Lengths: • 60" Power Supply Cord

Color Options: 

Black (shown) 

White.....



#### +HQ

All of your technology can come together to recharge—however you connect. There's USB access, power, even wireless—simply set any Qi-friendly device on the surface.

Configuration Options: • 1 Power/1 USB/1 Charging Pad (shown)

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)



#### +HQ2

All the convenience of the HQ with an extra USB and two charging pads to power even more gadgets.

Configuration Options: • 1 Power/2 USB/2 Charging Pads (shown)

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)



#### **+HEMISPHERE**

The domed shape, soft touch finish, and circular simplex trio is modern yet playful.

Configuration Options: • 2 Power/1 USB • 2 Power/1 USB A+C (shown) • 3 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black • White (shown)..... .\$203 list each



#### +ECLIPSE

First you see its modern circular simplex design—then the face cleverly rotates to hide away when not in use.

Configuration Options: • 2 Power/1 USB • 3 Power (shown)

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black (shown) • White..... .... \$263 list each



#### +NODE

The easy elegance of Node's clean, flush mount design is sure to complement a wide range of aesthetics.

Configuration Options: • 1 USB (shown) • 1 Power/1 USB A+C • 2 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black • White (shown).... .. \$207 list each



#### +RSALT

Salt is a charging dynamo with dual charging USB.

Configuration Options: • 1 USB

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black • White (shown)..... . \$98 list each



#### +RPEPPER

Pepper is all power with it's single spill-proof simplex.

Configuration Options: • 1 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black (shown) • White.... . \$58 list each



#### +SSALT

Salt is a charging dynamo with dual charging USB.

Configuration Options: • 1 USB

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

Color Options: • Black (shown) • White...... . \$98 list each



#### +SPEPPER

Pepper is all power with it's single spill-proof simplex.

Configuration Options: • 1 Power

Cord Lengths: • 72" (3-Prong) • 120" (3-Prong)

www.baltix.com

Color Options: • Black • White (shown)..... . \$58 list each

## Optional Wire Management Add-ons



#### Wireway Grommet +WG



#### 4 Loop Wire Manager +WM



#### Snap-on Wire Manager +WMS

Easy snap-on installation allows cover to be repositioned repeatedly. Capacity for many sizes of power and data cables. Standard length=  $17 \, ^3/_4$ "

Color Options: • any steel base color (pg.22) except brushed steel and antique bronze ....... \$40 list each



#### Magnetic Wire Manager Cover for Square Column Bases +MWM

Large area for wire management of multiple power and cord sizes. Easy installation and reposition to any metal surface.  $1"d \times 2"w \times 17 \ 3/4"l$ 

Color Options: • any steel base color (pg.22) except wrinkle, metallic, brushed steel, or antique bronze ..... \$45 list each



#### Oval Wire Management Holes +WMO



#### Hinged Wire Mannagment Door +WMHD

Hinge allows you to easily push open and feed your cords through. Door blends into the base to give it a solid look. Hole diameter=1" Hinged door= 3/4"w

Color Options: • any steel base color (pg.22) except brushed steel and antique bronze ..... \$100 list each



## Bolt-On Wire Management Door +WMBD


Available on 18" and 24" drum bases. Door size for 18"=19"  $\times$  6  $^{5}/_{8}$ " Door size for 24"=19"  $\times$  8  $^{5}/_{8}$ " 2 Holes= 3" diameter

Color Options: • any steel base color (pg.22) except brushed steel and antique bronze ..... \$300 list each



#### Wire Management Power Box +WMPB

Allows for almost any power/data option to be located in the center of a round or square table. Power box dimensions=12"d x 12"w x 3"h Power box hole dimensions=2" diameter on 3" column,  $3^{1/2}$ " diameter on 4" column Bottom hole dimensions=1  $1^{1/2}$ " diameter on 3" column, 2" diameter on 4" column




## Wire Management for Disk Bases +WMFD

Thru-holes from mounting plate to floor. Allows for wires to pass from simple grommet hole or single low profile power or data unit located in the center of a round or square table down through the column and out the bottom of the disk base. Bottom hole dimensions=1.7/8" diameter hole on bottom of 3" column, 2.1/4" diameter hole on bottom of 4" column

## Table Top Only (TT)





#### Part # Assessment



If you don't see the size or shape you need, please contact us for a custom quote.

## Terms & Conditions of Sale

#### General

All prices are shown as list (MSRP). Contact us at info@baltix.com or your preferred dealer for approved discount. All catalogs, photographs, drawings, product price list and other printed materials are protected by copyright. All rights reserved. Product line names are trademarked. All Baltix products are sold using standard terms and conditions of sale found in the product price list, quotes, acknowledgments, and invoices. All submitted orders are subject to acceptance by Baltix. Any modification or supplementation to the terms and conditions must be clearly identified in a separate written document signed by an authorized Baltix representative.

All illustration, specifications, products, and prices in the product price list are based on the latest information available and Baltix reserves the right to make changes at any time without notice. Unauthorized distribution of the product price list does not constitute an offer to sell.

#### **Small Order Processing Fee**

Orders with a combined NET price, excluding shipping, under \$1,000.00 will be subject to a Small Order Processing Fee of \$150.00 NET. One charge per order.

#### **Purchase Orders**

Orders may be placed at: E-mail: sales@baltix.com Order Support: (952)698-1220

#### **Accepted Payment Methods**

ACH Debit (no fee)

Remittance Address: Baltix Sustainable Furniture, LLC Attn: Accounting 434 Lake Street, Suite 203 Excelsior, MN 55331

#### **Payment Terms**

Standard payment terms are 50% down payment at the time of order and balance due upon receipt of product. Orders are not released to production until the required 50% deposit has been received. An authorized Baltix representative must approve any other payment arrangement. Purchaser agrees that Baltix shall have the right to enforce a finance charge of 2% per month on any invoice outstanding more than NET 30 days. If a collection is necessary, the purchaser shall pay all collections costs including attorney's fees. Any product sold is the property of Baltix until the invoices have been paid in full.

#### **Order Acknowledgement**

Orders are accepted, manufactured and invoiced in accordance with Baltix acknowledgements and standard terms and condition of sale as stated herein. It is the purchaser's responsibility to notify Baltix of any discrepancies in the acknowledgement within two (2) days of the acknowledgement date, otherwise Baltix can accept no responsibility for manufacturing errors. Ship dates on the acknowledgement are estimated and actual ship dates may very due to events beyond the control of Baltix.

#### **Taxes**

Orders placed in Minnesota must be accompanied by a State Resale/Exemption Certificate (ST3). Baltix is not responsible for collecting sales tax in any other state. If you are not tax exempt, sales tax must be self-assessed.

#### **Storage Policy**

If the purchaser is unable to accept delivery as scheduled at the time of shipment, Baltix may transfer the order to storage. The following storage fees will apply; \$300.00 for the first month and \$150.00 for each additional month thereafter. Orders transferred to storage will be considered delivered for purposes including invoicing and payment.

#### **Changes & Cancellation Policy**

Baltix is a contract furniture manufacturer producing high quality, finished products that are built-to-order based on the purchaser's specifications. No finished products are inventoried. Orders may not be cancelled or changed without written consent of Baltix, such consent may be withheld, granted or granted subject to conditions, service charges and/or price changes, in Baltix' sole discretion. The refund of the customer's deposits shall not be granted in any circumstance. In the event that Baltix agrees to such a change or cancellation, and customer agrees to pay such charges, including, but not limited to, storage and shipment costs, costs of producing non-standard orders, costs of purchasing non-standard materials, costs of non-returnable items, cancellation costs imposed by Baltix and its suppliers, and any other costs resulting from the cancelation of this order by customer. Baltix may waive such costs at its sole discretion. Baltix does not accept returns.

#### Freight & Shipping

All orders will be shipped in compliance with National Motor Freight Classification Code (NMFC). All orders will be shipped F.O.B. Baltix Origin, freight cost prepay and add. Legal responsibility for the product transfers to the buyer upon acceptance by the carrier. All products are shipped based on a dock-to-dock delivery only. Unless otherwise noted, Baltix will use "best way" shipping. Baltix assumes no responsibility for warehousing or demurrage when consignee is unable to accept shipment at the delivery point. Additional expenses incurred by Baltix for any add-on accessorial at the time of delivery will be billed to the customer as "additional handling". Examples of add-on accessorials include, but are not limited to: Inside Delivery, Limited Access, Residential Delivery, Construction Site Delivery, and Redelivery. Baltix shall not be held liable for delays caused by strikes, catastrophes, wars, riots, or any other cause beyond our control.

#### **Customer Pick Ups (3rd Party)**

All products are loaded on carrier trucks free from defects and/or damage. Responsibility of safe delivery and transport of products is assumed by the customers carrier upon loading. Legal responsibility and cost for the product transfers to the buyer upon acceptance by the carrier.

#### Freight Damage

Legal title to merchandise passes to the buyer upon acceptance by the carrier. It is the customer's responsibility to inspect all skids, crates, a-frames, cartons (boxes), and packages at time of delivery for damages or shortages regardless of condition. Any damages found during inspection must be clearly noted on the proof of delivery (POD) slip. It is the customers responsibility to notify the carrier within three (3) days of any visible or concealed damage that has occurred. All product is thoroughly inspected before it leaves our factory; therefore, it is the buyer's responsibility to seek recourse against the carrier.

## Warranty, Limitations, & Disclaimers

#### Warrantv

Baltix warrants that all products it manufactures are, at the date of shipment, guaranteed free from defects in materials and workmanship for two (2) years. This warranty is offered to original customers who have acquired the goods directly from a Baltix authorized dealer or direct from Baltix. Any product that fails to function as intended and is found defective in material or workmanship by Baltix will be repaired or replaced without charge to the purchaser or, at the election of Baltix, a credit will be issued up to the invoice price of the product. This warranty is not applicable where, in the judgement of Baltix, the defect is caused by normal wear and tear, misuse, misapplication, modification, or damage after shipment, including failure to properly maintain the product or similar cause. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability of fitness for ordinary or particular purpose.

#### **Exceptions**

Outdoor tables and bases: One (1) year from date of shipment.

Electrical components: One (1) year from date of shipment.

Third Party specified and supplied products: Supplier Warranty

Finishing: our finishes are designed to be moisture resistant, but, if exposed to standing water for longer than 24 hours, discoloration and disfiguration can occur. This is typical for any finished furniture product.

There are no other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or of fitness for a particular purpose.

#### **Design Rights**

The designs shown in Baltix' catalogs and price lists are proprietary to Baltix and Baltix reserves the exclusive right to manufacture them. Any reproduction of these designs infringes Baltix' rights and that infringement will be prosecuted.



118 952.698.1220 119 info@baltix.com www.baltix.com













